

आज मिति २०८३/०३/३० गते सोमवार का दिन सार्वजनिक खरिद नियमावली, २०३४ को नियम १५८ बमोजिम ३१.०.०६३/०६६ को लागी चयनित जिल्लाभर लागू हुने गरी निर्माण सामग्री र ढुवानीका दररेट, मेशिन तथा उपकरणको माला र कामदारको ज्याला निर्धारण गर्न जिल्ला दररेट निर्धारण समितिको अध्यक्ष एवं प्रमुख जिल्ला अधिकारी श्री जनार्दन गौतम ज्यूको अध्यक्षतामा देहायको उपस्थितीमा बैठक बसी निम्न अनुसार निर्णय गरियो ।

उपस्थित

(क) प्र. जि. अ. श्री जनार्दन गौतम - अध्यक्ष
जंगम (ख) श्री गंगा कुमारी कार्की (जिल्ला समन्वय समिति सदस्य) - सदस्य

(ग) श्री गणेशिक वहादुर कार्की (जिल्ला समन्वय अधिकारी) - सदस्य

(घ) श्री लाल वहादुर कार्की (प्रमुख कोष तथा लेखा नियन्त्रक कार्यालय) - सदस्य

(ङ) श्री जय कुमार ढकाल (निर्माण व्यवसायी सचिव - अध्यक्ष) - सदस्य

(च) श्री अमरेखा चन्द वैद्यार (उद्योग वाणिज्य सचिव - अध्यक्ष) - सदस्य

(ड) श्री युगा प्रसाद घिमिरे (शही वि. तथा मन्त्र कार्यालय) - सदस्य सहित आमन्त्रित

(क) राजन ढकाल, प्रमुख, कृषि ज्ञान केन्द्र, सिन्धुली

(ख) रिवलनाथ अर्याल, प्रमुख, जेठकिपुरा, सिन्धुली

(ग) उपनय राय यादव, के.पु. नेपाल टोलका

(घ) चन्द्रशमशेर कार्की, डिभिजन प्रमुख जहापोते तथा सिन्धुली विकास

(ङ) वचन राम सुब्बा, सचिव, डिभिजन वन कार्यालय सिन्धुली

(च) सन्तोष कु. यादव, सचिव, कृषि सामग्री क. लि.



१. (ख) उपरोक्त न्यौतानी प्रमाणित, सिप्यो ७०

(ग) हुताग्नि निर्देशिका सं.भ. जिल्ला शिक्षा कार्यालय

(घ) माध्यम तहको विद्यालय... अर्को विद्यालय तथा

(ङ) विद्यालय निर्माण

आजको यस बैठकले सार्वजनिक खरिद नियमावली २०६४ को नियम वस्तु अनुसार आ.व. ०६३।०६६ को लागि सिन्धुली जिल्लामा लागू हुने गरी निर्माण सामग्री र ढुवानीको दररेट, मेसिन तथा उपकरणको मद्ति र कामदारको ज्याला देहाय अनुसार कायम हुने गरी निर्णय गरियो। (संलग्न पाना-५१)

Handwritten signature and date २०६३/३/३०

Handwritten signature

संसाधन

Handwritten signature



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (रु.) आ.व.०७६/०७७	
ख	निर्माण सामग्रीहरू			
१	विभिन्न किसिमको ईटा			
	क) मेशिनबाट उत्पादित ईटा (छानेको)	गोटा	१२१५०	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	१२१५०	
	ग) चिमनी भट्टाको ईटा	"	१२१५०	
	घ)तराई को १ नं.ईटा	"	१२१५०	
	दुका ईटा	घ.मि.	६००१००	
	(ङ) सिमेन्ट को ईटा			
	BK108N	"	११०००१००	
	BK118As	"	११५००१००	
	CSEB Interlock Brick	गोटा	४०१००	
२	क्ले टायलहरू			
२.१	छानामा छाने			
	क) मेशिनबाट उत्पादित टायल	गोटा	१६१००	
	ख) चिमनी भट्टाको टायल	"	१४१००	
	ग) मेशिनबाट उत्पादित धुरी	"	२८१००	
	घ) चिमनी भट्टाको धुरी	"	२३१००	
२.२	भुईँमा/ कौसीमा छान्ने टायल:			
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	६१००	
	ख) चिमनी भट्टाको क्ले टायल	"	७५०	
३	ढुंगाको काम (Stone work)			
३.१	Rubble Stone			
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.मि.	१३००१००	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	१२००१००	
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	१२००१००	
	(घ) कोसीखोला(चेहेरे)को एकनासे गोला ढुङ्गा (River round Pavel)	"	१०००१००	
३.२	छान्ने ढुङ्गा (Flag stone)			
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छान्ने ढुङ्गा	व.फि.	५७०१००	
	ख) १ 1/2" सम्म बाक्लो " "	व.फि.	६५०१००	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि.	८६०१००	
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	व.फि.	९३०१००	
	ङ) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा "	व.फि.	११५०१००	
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेशिनले काटेको	व.फि.	१३५०१००	
४	विभिन्न प्रकारको बालुवा			
	क) बालुवा धोएको कशरबाट उत्पादित	घ.मि.	१२००१००	
	ख) खोला/नदीको बालुवा धोएको (River sand)	घ.मि.	११००१००	
	ग) खोला/नदीको बालुवा नधोएको (River sand)	घ.मि.	१०००१००	
	घ) भवनको भूँईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा वा रिभरवेड मेटेरियल	घ.मि.	९००१००	

रजि. सुफार जंगल
 (सुफार)
 अ.सु.
 सुफार
 ३३



सिन्धुली जिल्लाको आ.व. 076/077 को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (र.)	
			आ.व. 076/077	
५	कसरबाट उत्पादित रोडा			
	(क) ६-१० मी. मी. साइजका	घ.मि.	२४००/१००	
	(ख) १०-२० मी. मी. साइजका	घ.मि.	२६००/१००	
	(ग) २०-४० मी. मी. साइजको	घ.मि.	२५००/१००	
	(घ) ६ मि.मि. down	घ.मि.	१९००/१००	
६	फुटालेको ढुङ्गाको गिट्टी			
	क) सबै साइजको गिट्टी	घ.मि.	२०५०/१००	
७	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री			
	(क) खोला/खानीको स्थानीय ग्राभेल	घ.मि.	९९०/१००	
	(ख) Granular sub base material (Crosser run material size 63mm down) ग्राभेल	घ.मि.	२१००/१००	
	(ग) Base-course को लागि मिक्स सोलिड (WBM) गर्ने काय	घ.मि.	२२००/१००	
	(घ) ढुगाको धुलो (Stone dust)	घ.मि.	१९००/१००	
८	विभिन्न साइजका खोलाको Screening गरेको River pebbles			
	क) ४०- ८० मी.मी	घ.फि	१५८०/१००	
	ख) २०- ४० मी.मी	घ.फि	१६५०/१००	
	ग) १०- २० मी.मी	घ.फि	१६९०/१००	
	घ) ५- १० मी.मी	घ.फि	१७२५/१००	
९	फिल्टर सामग्री			
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि	१८२५/१००	
१०	सडक कालो पत्रे गर्ने कामको सामग्रीहरू			
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	८२/१००	
	ii) CRMB-DIGO 55 Bitumen	के.जी	९४/५०	
	iii) Packed bitumen emulsion को काम	के.जी		
	छिटो जम्ने (RS 60%)	के.जी	७२/४०	
	छिटो जम्ने (RS 65%)	के.जी	७७/१००	
	छिटो जम्ने (RS 70%)	के.जी	८१/६०	
	मध्यम जम्ने (MS 60%)	के.जी	७३/२०	
	मध्यम जम्ने (MS 65%)	के.जी	७७/६०	
	दीलो जम्ने (SS60%)	के.जी	७४/१०	
	Slurry Seal with 60% bitumen	के.जी	७९/६०	
	Hi - seal Redymix	के.जी	९३/५०	
	Polymer Bitumen	के.जी	१०५/२६	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	के.जी	३२०/१००	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागि राखिने Rubber Asphalt Modifier	के.जी		

गंगा



सिन्धुली जिल्लाको आ.व. 076/077 को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	
			आ.व. 076/077	
	vi) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३५१००	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री			
	a) B.S. Grade	के.जि	२००१००	
	b) Most Grade	के.जि	२२९१००	
	c) Glass beads	के.जि	९८९१००	
११	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू			

	क) Nepali OPC Cement 50Kg	बोरा	८४०१००	
	ख) Nepali PPC Cement 50Kg	बोरा	६४०१००	
	(ग) सेतो सिमेन्ट (40kg/bag) 1Kg	के.जि	३७५०	
	छ) लोड अनलोड दर सिमेन्ट र सो ही प्रकृतिका काम	के.जि	०१२०	
१२	Ready made Premix Concrete (Supplying laying all complete work)			
१२.१	Panchakanya, MAW or equivalent			
	M 15	घ. मि	८२७४१२०	
	M 20	घ. मि	९२४७७७०	
	M 25	घ. मि	९०५९०१८०	
१२.२	Polymix concrete			
	Polymix concrete for wall	व.मि.	२६९६१००	
	Polymix concrete imprint	व.मि.	९५९८१००	
	Polymix concrete desiner coat	व.मि.	९४९५१००	
१२.३	INCO -panel supply and erection of inco wall panel for			
	Internal wall	व.मि.	२८०१००	
	External wall	व.मि.	३२०१००	
१३	फलामको ढण्डीहरू :			
	(क) विभिन्न साइजका TMT Bar			
	a) 8 mm dia	के.जी	७५१५०	
	b) 10,12,16,20mm dia	के.जी	७४१५०	
	c) 25mm dia	के.जी	७९१००	
	d) 28,32 mm dia	के.जी	७९१००	
	(ख) विभिन्न साइजको TOR Steel	के.जी		
	a) 8mm dia TOR steel	के.जी	७५१५०	
	b) 10-25mm TOR steel	के.जी	७४१५०	
	c) 28-32mm TOR steel	के.जी	७९१००	
	(ग) विभिन्न साइजका TOR Steel	के.जी	७९१००	
	a) 4.75, 7 mm dia	के.जी	७५१५०	
	(घ) Binding Wire (ढण्डी बन्धितार)	के.जी	९०५१००	

सांग



सिन्धुली जिल्लाको आ.व.०७६।०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व.०७६।०७७
१४	विभिन्न किसिमका तयारी सबै साईजका काठहरु		
	(क) ३' देखि ८' सम्मको सालकाठ	घ. मि.	१७०००।००
	(ख) साज, जामुन, सल्ला, सिसौ, उतिस लगायत अन्य कुकाठहरु सबै	घ. मि.	३५०००।००
	(ग) काठ दाउरा	के.जी	१४।००
	(घ) साल गोलिया	घ. मि.	८६०००।००
१४.२	कुँदिएको काठको काम तयारी		
	i) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	६०३।४९
	ii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	६५८।३५
	iii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	५४८।६३
	iv) भन्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२४१३।९५
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	७६८०।७५
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	८७७८।००
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	१६४५।८८
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	३८४०।३८
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	५४८।६३
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	७६८।०८
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	१६४५।८८
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	१०४२।३९
	xii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३८४।०४
	xiii) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	र.फि.	६५८।३५
	xiv) ४"x ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	५४८।६३
१४.३	(घ) साल गोलिया	घ. मि.	८६०००।००
१५	Wooden Parquet Flooring		
	i) Shisam wood 150mm*30mm*8mm	व.फि.	१३५।००
	ii) Wall panelling (with wood frame) sisam wood. (75mm*16mm)	व.फि.	४५०।००

गंगा



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (र.)	
			आ.व.०७६/०७७	
१६	विभिन्न मोटाईको फ्लाइउडहरु			
१६.१	Commercial			
	(क) ३ मी.मी	व.मि.	२७०१००	
	(ख) ४ मी.मी	व.मि.	३७५१००	
	(ग) ६ मी.मी	व.मि.	४३०१००	
	(घ) ८ मी.मी	व.मि.	४६०१००	
	(ङ) १२ मी.मी	व.मि.	५३८१००	
	(च) १९ मी.मी B/B	व.मि.	८६०१००	
१६.२	P/F. Water Proof			
	क) ८ मी.मी	व.मि.	८६०१८०	
	ख) १२ मी.मी	व.मि.	९९४१६०	
	ग) १९ मी.मी.	व.मि.	१२३७४०	
१६.३	Natural Teak Plywood			
	One side lamination			
	(क) ३ मी .मी	व.मि.	५२०१००	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	व.मि.	६८०१००	
	४ मी. मी (Regular)	व.मि.	५९०१००	
	४ मी. मी (Crown)	व.मि.	३९५१००	
	४ मी. मी (Beri)	व.मि.	४५५१००	
	४ मी. मी (Whitest line)	व.मि.	३६०१००	
	४ मी. मी (Beach)	व.मि.	४३०१००	
	४ मी. मी (Recon 18 No.)	व.मि.	३३५१००	
१६.४	DECORATIVE (THICKER)			
	6 OST	व.फि	७४१८०	
	6 BST	व.फि	९४१६०	
	9 OST	व.फि	८३१६०	
	9 BST	व.फि	१०५१६०	
	12 OST	व.फि	९४१६०	
	12 BST	व.फि	११६१६०	
	19 B/B OST	व.फि	१०५१६०	
	19 B/B BST	व.फि	१२७१६०	
	18 OST	व.फि	११६१६०	
	18 BST	व.फि	१३८१६०	
१७	Ready made Door			
१७.१	38 mm th. Redimade solid core door shutter			
	Plain	व.मि.	१२९०१००	
	One side teak	व.मि.	२२७०१००	
	Both side teak	व.मि.	२५४०१००	
	One side teak waterProof	व.मि.	२४८०१००	

Handwritten signatures and stamps at the bottom of the page, including the name 'गंगा' (Ganga) and other illegible signatures.



सिन्धुली जिल्लाको आ.व.०७६/०७७को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	
	Both side teak waterProof	व.मि.	२७४०१००	
१७.२	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)			
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१५४१००	
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२०९१००	
	If Oneside water proof ply fitting	व.फि		
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७६१००	
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३६१५०	
१७.४	Wooden Listy			
क	1/2" wide	र.फि.	१११००	
ख	3/4" wide	र.फि.	१३२२०	
ग	1.5" wide	र.फि.	२२१००	
घ	Decorative	र.फि.	३०१८०	
१८	Prelaminated Particle Board	र.फि.		
१८.१	Plain Particle Board (Exteriors Grade)			
	(क) ९ मी .मी	व.फि	३२१४२	
	(ख) १२ मी. मी.	व.फि	३६३२२	
	(ग) १८ मी.मी.	व.फि	४७११०	
	(घ) २५ मी.मी	व.फि	६२१८९	
१८.२	One side lamination Melamined faced (Exteriors Grade)			
	(क) ९ मी .मी	व.फि	६५१०३	
	(ख) १२ मी. मी.	व.फि	७३३३०	
	(ग) १८ मी.मी.	व.फि	८६१४९	
	(घ) २५ मी.मी	व.फि	११२१२३	
१८.३	Both side lamination Melamined faced (Exteriors Grade)			
	(क) ९ मी .मी	व.फि	७३३३०	
	(ख) १२ मी. मी.	व.फि	८३१८९	
	(ग) १८ मी.मी.	व.फि	९६१९९	
	(घ) २५ मी.मी	व.फि	१२२१६३	
१८.४	Plain Particle Board (Interiors Grade)			
	(क) ९ मी .मी	व.फि	२४११५	
	(ख) १२ मी. मी.	"	२७१२२	
	(ग) १८ मी.मी.	"	४०१३२	

३१ गा



सिन्धुली जिल्लाको नयाँ बजार, २०७७ को जिल्ला दररेट
सिन्धुली

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व. ०७६/०७७
	(घ) २५ मी.मी	"	५२१४०
१८.५	One side lamination Melamined faced (Interiors Grade)		
	(क) ३ मी .मी	व.फि	३५१३०
	(ख) ६ मी .मी	व.फि	५०१३५
	(ग) ९ मी .मी	व.फि	५७६९
	(घ) १२ मी. मी.	व.फि	६५१५९
	(ड) १८ मी.मी.	व.फि	७५१६२
	(च) २५ मी.मी	व.फि	९४१३९
१८.६	Both side lamination Melamined faced (Interiors Grade)		
	(क) ३ मी .मी	व.फि	४०१३२
	(ख) ६ मी .मी	व.फि	५४१४४
	(ग) ९ मी .मी	व.फि	६५१०३
१८.७	One side lamination Melamined faced (Interiors Grade)MDF		
	(क) ३ मी .मी	व.फि	४०१७८
	(ख) ४ मी .मी	व.फि	४६१३६
	(ग) ६ मी .मी	व.फि	५७१२३
	(घ) ९ मी .मी	व.फि	७५१०७
	(ड.) १२ मी .मी	व.फि	८४१००
	(च) १८ मी .मी	व.फि	१०८१००
	(छ)२५ मी .मी	व.फि	१४९१००
१८.८	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent		
	(क) ३ मी .मी	व.फि	४६१३६
	(ख) ४ मी .मी	व.फि	५९१९३
	(ग) ६ मी .मी	व.फि	६४१००
	(घ) ९ मी .मी	व.फि	८०१६४
	(ड.) १२ मी .मी	व.फि	८९१००
	(च) १८ मी .मी	व.फि	११३१००
	(छ)२५ मी .मी	व.फि	१५३१००
१९	Other HardBoard/ Sunmica & Formaica)		
१९.१	(क) सनमाईका (4' x 8')	पाता	४२९१००
	(ख) फोरमाईका	व.फि	६६१००
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	व.फि	३८१५०
१९.२	Alstone Hybrid Board		
	(क) ६ मी .मी size (1220*2440) mm	व.फि	१४३३३६
	(ख) १२ मी .मी size (1221*2440) mm	व.फि	२७०१८०

(Handwritten signatures and notes)

गंगा



सिन्धुली जिल्लाको आ.व.०७६/०७७ जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (र.)	
	(गणन मी.मी size (1222*2440) mm	व.फि	आ.व.०७६/०७७	
२०	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate		३७६।९९	
	i) Iron Square Pipe	के.जी	७९।५०	
	ii) विभिन्न साइजको MS Angle	के.जी	७७।००	
	iii) विभिन्न साइजको Black Pipe	के.जी	७९।५०	
	iv) विभिन्न साइजको Channel	के.जी	७८।००	
	v) विभिन्न साइजको I-Beam .	के.जी	७९।००	
	vi) विभिन्न साइजको MS plate	के.जी	७६।००	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	७७।००	
	viii) विभिन्न मोटाइको Black sheet	"	७२।००	
२१	G.I. Wire			
	i) 8 gauge			
	a) light class	के.जी	७७।००	
	b) medium class	के.जी	७९।००	
	c) heavy duty	के.जी	८५।००	
	d) Comercial wire	के.जी	७३।००	
	ii) 10 gauge			
	a) light class	के.जी	७७।००	
	b) medium class	के.जी	७९।००	
	c) heavy duty	के.जी	८५।००	
	d) Comercial wire	के.जी	७४।००	
	iii) 12 gauge			
	a) light class	के.जी	७७।००	
	b) medium class	के.जी	७९।००	
	c) heavy duty	के.जी	८५।००	
	d) Comercial wire	के.जी	७४।००	
२२	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाक्स तयारी			
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	m2		
	१.५x१x०.५/०	गोटा	१३६२।००	
	२x१x०.५/०	गोटा	१८३९।००	
	३x१x०.५/०	गोटा	२६९६।००	
	४x१x०.५/०	गोटा	३५५४।००	
	१.५x१x१/०	गोटा	१९८०।००	
	२x१x१/१	गोटा	२६९६।००	
	३x१x१/२	गोटा	३८४२।००	
	४x१x१/३	गोटा	४९३८।००	
	ख) MBG/10x12/2.7/3.4/2.2/ZN	m2		
	१.५x१x०.५०	गोटा		

(Handwritten signatures and notes)

सं ग १



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			बाहेक (रु.)
			आ.व.०७६/०७७
	२x१x०.५०	गोटा	१५०४१००
	३x१x०.५०	गोटा	२२०२१००
	४x१x०.५०	गोटा	२९०५१००
	१.५x१x१	गोटा	१६०४१००
	२x१x१	गोटा	२१८२१००
	३x१x१	गोटा	३११०१००
	४x१x१	गोटा	४०७६१००
ग) MJG/10x12/3.0/3.9/2.4/ZN			
	३x२x०.५०	गोटा	४६२०१००
	४x२x०.५०	"	६०२०१००
	५x२x०.५०	"	७२८०१००
	६x२x०.५०	"	८६८०१००
	३x२x१	"	६३००१००
	४x२x१	"	८१८७००
	५x२x१	"	९८६४१००
	६x२x१	"	११६९०१००
घ) MJG/10x12/2.7/3.4/2.2/ZN			
	३x२x०.५०	गोटा	३७३२१००
	४x२x०.५०	"	४८८०१००
	५x२x०.५०	"	५८८४१००
	६x२x०.५०	"	६८८९१००
	३x२x१	"	५१६७००
	४x२x१	"	६६७४१००
	५x२x१	"	८२५३१००
	६x२x१	"	९८३०१००
ङ) MRM/6x8/2.2/2.7/2.2/ZN			
	३x२x०.१७	गोटा	२६४२१००
	४x२x०.१७	"	३४६३१००
	५x२x०.१७	"	४२८६१००
	६x२x०.१७	"	५१०६१००
	३x२x०.२३	"	२८०२१००
	४x२x०.२३	"	३६६४१००
	५x२x०.२३	"	४५२५१००
	६x२x०.२३	"	५३८८१००
	३x२x०.३०	"	२९९४१००
	४x२x०.३०	"	३९०४१००
	५x२x०.३०	"	४८१२१००
	६x२x०.३०	"	५७२२१००
च) WMN/ZN			
	६x८/२.२/२.७	व.मि.	१९११००
	१०x१२/२.७/३.४	"	२०११००
	१०x१२/३.०/३.९	"	२२६१००

जं गा



सिन्धुली जिल्लाको आ.व. 076/077 को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	आ.व. 076/077
	छ) WMN/ZN/PVC			
	६x८/२.२/२.७			
	१०x१२/२.७/३.४	व.मि.	३०४१००	
	MRM/6x8/2.2/2.7/2.2/ZN	"	२७३१००	
	3x1.5x0.5/2	गोटा	३५६०१००	
	4x1.5x0.5/3	गोटा	४६४३१००	
	5x1.5x0.5/4	गोटा	५७२०१००	
	6x1.5x0.5/5	गोटा	६७९८१००	
	3x1.5x1/2	गोटा	४५६३१००	
	4x1.5x1/3	गोटा	६२५४१००	
	5x1.5x1/4	गोटा	७७४६१००	
	6x1.5x1/5	गोटा	९१९११००	
	MJG/10x12/2.7/3.4/2.2/ZN			
	3x1.5x0.5/2	गोटा	२९७२१००	
	4x1.5x0.5/3	गोटा	३८७०१००	
	5x1.5x0.5/4	गोटा	४७६८१००	
	6x1.5x0.5/5	गोटा	५६६५१००	
	3x1.5x1/2	गोटा	३८०४१००	
	4x1.5x1/3	गोटा	५२९३१००	
	5x1.5x1/4	गोटा	६४५५१००	
	6x1.5x1/5	गोटा	७६६९१००	
	Note:			
	MBG = Maccaferi Box Gabion			
	MJG = Maccaferi Jumbo Gabion			
	MRM = Maccaferi Reno Mettress			
	WMN = Wire Mesh Netting			
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating			
	ZN = Heavy galvanized			
	PVC = PVC coated			
२३	Barbed Wire (कढितार)			
	12 guage commercial, Medium duty	के.जी	९५१४८	
	U-hook for barbed wire fencing	गोटा	०१७४	
	Fabrication of chain link mesh of size			
	1"x1" 12 guage	बर्ग मी.	६६९१६४	
	1.5"x1.5" 12 guage	बर्ग मी.	६२५१००	
	2"x2" 10 guage	बर्ग मी.	४९९१०७	
	3"x3" 10 guage	बर्ग मी.	४०९१७९	
	4"x4" 10 guage	बर्ग मी.	३९२१५०	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature



सिन्धुली जिल्लाको आ.व. 076/077 सिन्धुली जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.) आ.व. 076/077	
२४	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)			
	(क) सेतो सादा जस्तापाता (G P Sheet)			
क	0.35 mm (26 guage light)	वण्डल	४८७०।००	
ख	0.38 mm (26 guage Medium)	वण्डल	४८७०।००	
ग	0.41 mm (26 guage Heavy)	वण्डल	५७५२।००	
घ	0.52 mm (24 guage Heavy)	वण्डल	६६४०।००	
	(ख) रंगिन जस्तापाता			
क	0.35 mm (26 guage light)	वण्डल	६७९२।९२	
ख	0.38 mm (26 guage Medium)	वण्डल	७२५९।२९	
ग	0.41 mm (26 guage Heavy)	वण्डल	७७९७।७०	
घ	0.45 mm (24 guage light)	वण्डल	८८४९।००	
ङ	0.50 mm (24 guage Medium)	वण्डल	९२९२।००	
च	0.52 mm (24 guage Heavy)	वण्डल	१०९७५।००	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)			
क	0.31 mm (28 guage Heavy)	वण्डल	४६००।००	
ख	0.35 mm (26 guage light)	वण्डल	४७००।००	
ग	0.38 mm (26 guage Medium)	वण्डल	४७५०।००	
घ	0.41 mm (26 guage Heavy)	वण्डल	४८५०।००	
ङ	0.45 mm (24 guage light)	वण्डल	४८७०।००	
च	0.50 mm (24 guage Medium)	वण्डल	५७५२।००	
	घ)जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.			
क	0.20 mm	वण्डल	११५७।५२	
ख	0.22 mm	वण्डल	१२५८।४९	
ग	0.24 mm	वण्डल	१३३७।९७	
घ	0.26 mm	वण्डल	१४९६।८९	
ङ	0.28 mm	वण्डल	१५००।८८	
च	0.31 mm	वण्डल	१६३९।८२	
ज	0.35 mm	वण्डल	१८१६।८९	
झ	0.38 mm	वण्डल	१९५३।९०	
ञ	0.41 mm	वण्डल	२०८९।३८	
२५	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)			
२५.१	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१२९९।००	
२५.२	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	व.मि.	१३४५।००	
२५.३	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१२००।००	

Handwritten signatures and the word 'संग' (Sang) at the bottom of the page.



सिन्धुली जिल्लाको आ.व.०७६/०७७को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (रु.)	
			आ.व.०७६/०७७	
२५.४	Ridge cover Tile Profile 0.78 R.m.	र.मि.	१३००/१००	
२५.५	UPVC Clip	गोटा	१०/१००	
२५.६	self tapping screw 3"	गोटा	१०/१००	
२५.७	self tapping screw 2.5"	गोटा	८/१००	
२६	एन्सुनियम प्लेन सिट			
	(क) २६ गेज	व.फि.	२८/१००	
	(ख) ३० गेज	"	२६/१००	
२७	विभिन्न प्रकारको जालीहरू (Netting)			
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११०/१००	
	(ख) बालुवा चाल्ने जाली	"	११५/१००	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	७०/१००	
	(घ) ब्रास क्रसिङ्ग जाली	"	१८०/१००	
	ड. स्टील जाली (crossing)	"	१४५/१००	
	च मसिनो खालको steel Mosquito proof जाली	"	२५०/१००	
२८	फलामबाट निर्मित सामानहरू			
क	M.S. Grill बनाई जडान गर्ने काम समेत तयारी	के.जी	१४०/१००	
ख	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.मी	५०००/१००	
ग	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.मी	३२८/१९०	
घ	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्याल भएको	व.मी	४४२५/१००	
ङ	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.मी	५०५०/१००	
च	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत)	व.मी	६८००/१००	
ज	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	२७८३/१००	
झ	फलामे सामग्रीको फेब्रिभेशन तथा जडान कार्य	के.जी.	४४/१२८	
ञ	All type of general MS structural works	व.मी	१७००/१००	
ट	Truss & roofing works Plain sheet 26 gauge	व.मी	१९७०/१००	
ण	Truss & roofing works colour sheet 26 gauge	व.मी	२३१०/१००	
त	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१७७/१०	
थ	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m-4.0 m length	गोटा	१७७/१००	
२९	Glass सीसा			
२९.१	Plain सादा (सेतो)			
	(क) ३ मी.मी.	व.मी	४७०/१००	
	(क१) ३५ मी.मी.	व.मी	४८५/१००	
	(ख) ४ मी.मी.	व.मी	६४५/१००	
	(ग) ५ मी.मी. "	व.मी	८६०/१००	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

गंगा



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व.०७६/०७७
	(घ) ६ मी.मी. "	व.मी	९६५१००
२९.२	Printed Glass (बुट्टेदार सिसा)		
	(क) ३ मी.मी.	व.मी	८६०१००
	(ख) ४ मी.मी. " "	व.मी	८६०१००
२९.३	Poly Fibre Glass		
	(क) ६ मी.मी.	व.मी	१३६०१००
२९.४	Black Color Glass		
	(क) ३ मी.मी.	व.मी	८००१००
	(ख) ४ मी.मी.	व.मी	९६०१००
	(ग) ५ मी.मी.	व.मी	१०७५१००
२९.५	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने		
	(क) ५ मि.मि बाक्लो	व.मि.	९६५१००
२९.६	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture		
	(क) ४ मी.मी. बाक्लो	व.मि.	५२०००१००
२९.७	विभिन्न रंगको Reflector Glass (शिसा)		
	५ मी.मी मोटो	व.मि.	१६६००१००
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।		
३०	Corrugated/Plain Fiber Glass Sheet		
क	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१०६५१००
ख	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	११०१००
ग	(ख) १.२ मी.मी. मोटो प्लेन	"	११०१००
घ	१.२ मी.मी. मोटो कोरोगेटेड	"	१२६५०
ङ	(ग) २ मी.मी. मोटो प्लेन	"	१८७१००
च	२ मी.मी. मोटो कोरोगेटेड	"	२२०१००
ज	(घ) ३ मी. मी. मोटो प्लेन	"	२५३१००
झ	३ मी. मी. मोटो कोरोगेटेड		३३०१००
ञ	(ड) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	६०५०
ड	(च) Fiber Glass छानाको लागि Ribet nut	no.	६१०५
३१	भ्याल ढोकामा लाग्ने Fixture हरु		
३२	Iron बाट बनेका		
क	Hinge (कब्जा)		
१	(क) ३" साइज	गोटा	१४१००
२	(ख) ४" साइज	"	२६१००
३	(ग) ५" साइज	"	४०१००
४	(घ) ६" साइज	"	५२१००
ख	Locking Set (L-drop)		

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

जागा



सिन्धुली जिल्लाको आ.व.०७६।०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व.०७६।०७७
१	300 mm	गोटा	२४०।००
२	225 mm	"	२१०।००
३	150 mm	"	१८०।००
ख	Aluminum बाट बनेका		
क	Towerbolt (छेस्कीनी)		
१	(क) ३" लामो	गोटा	१८।००
२	(ख) ४" लामो	"	३५।००
३	(ग) ६" लामो	"	५९।००
४	(घ) ८" लामो	"	७१।००
५	(ङ) १०" लामो	"	८३।००
६	(च) १२" लामो	"	९४।००
र	Handle (हतकल)		
१	Ordinary	गोटा	२७।८५
२	Special	"	४१।७७
ड	Brass बाट बनेका		
क	Hinge (कब्जा)		
१	2" x 1/2"	गोटा	५५।७०
२	2 1/2 x 3/4"	"	६२।६६
३	3" x 3/4"	"	७६।५८
४	2" x 3/4"	"	६२।६६
५	2 1/2" x 3/4"	"	६९।६२
६	3" x 3/4"	"	७६।५८
७	3" x 1"	"	१६७।०९
८	4" x 1"	"	२५०।६३
९	5" x 1"	"	३३४।१८
१०	6" x 1"	"	४०३।८०
झ	Towerbolt (छेस्कीनी)		
१	(क) ३" लामो	गोटा	१२५।३२
२	(ख) ४" लामो	"	१६७।०९
३	(ग) ६" लामो	"	२५०।६३
४	(घ) ८" लामो	"	३३४।१८
५	(ङ) १०" लामो	"	४१७।७२
६	(च) १२" लामो	"	५०१।२६
ञ	Handle (हतकल)		
१	6" Brass handle	गोटा	१३२।२८
२	8" Brass handle	"	४०३।८०
३	10" Brass handle	"	८३५।४४
४	Brass 5"	"	१२५।३२
५	Brass 6"	"	१९४।९४

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature



सिन्धुली जिल्लाको आ.व.०७६/०७७को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व.०७६/०७७
ज	Locking Set (L-drop)		
१	(क) ८" लामो	गोटा	८३५।४४
२	(ख) १०" लामो	"	१३७८।४८
३	(ग) १२" लामो	"	१५३१।६४
झ	Special Fittings		
	एल ड्रप :-		
१	८" लामो	गोटा	९३७।१३
२	१०" लामो	"	१०५८।४०
३	१२" लामो	"	११०२।००
ञ	ह्याण्डल :-		
१	८" लामो	"	११०२।००
□	टावर बोल्ट :-		
१	६" लामो	"	१९८।४५
२	८" लामो	"	२६४।६०
३	१०" लामो	"	३३०।७५
ण	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)		
	एल ड्रप :-		
१	८" लामो	गोटा	७८७।००
२	१०" लामो	"	९९७।००
३	१२" लामो	"	११०२।००
त	ह्याण्डल :-		
१	६" लामो	"	२२०।५०
२	८" लामो	"	३३०।७५
थ	Mortice Lock		
१	Ordinary	गोटा	५५१।२५
२	Chinese	"	३६७।००
३	Indian Godrej Company	"	२२५।७००
४	Brass		९९७।००
द	Door Spring (Door Closer)		
१	Ordinary	गोटा	१५७।००
२	hydraulic	"	१६५३।७५
६	Other Door/Windows fixtures		
१	Window I-hook	गोटा	१६।००
२	Gate Hook		
३	4" Gate hook	गोटा	२७।००
४	5" Gate hook	"	३१।००
५	6" Gate hook	"	३७।००
६	Brass Gate hook		६६।१५
७	Door stopper		
१	Diamond	गोटा	

[Signature] [Signature] [Signature]



सिन्धुली जिल्लाको आ.व.०७६/०७७को जिल्ला दररेट

सि.न.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (र.)
			आ.व.०७६/०७७
२	Butterfly	"	१३११००
<input type="checkbox"/>	Bell catch 2" size	"	१७३१००
	C.P. handle	"	३७५१००
रु	Power coated handle	"	३५८१००
१	Brass coated handle	"	७७११७५
रु	Door stopper, single brass stopper	सेट	८८१२०
१	Door stopper double brass stopper	"	१५७१००
३२	बिबिध सामग्रीहरू		
क	Hold fast different sizes (7 nos./Kg.)	के.जी.	११०१००
ख	Nails (different sizes)	के.जी.	९९१००
ग	सानका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७००१००
घ	कवाडी फलामे सामानहरू(बन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	२५१००
ङ	प्रयोग गर्न नसकिने पुराना मेसीना(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	२०१००
च	Nut and Bolts	गोटा	२५१४१
ज	Nut and Bolts (different sizes)	के.जी.	१४५१२०
झ	Sandpaper (खार्सी)	गोटा	४८४
ञ	बिभिन्न साइजको जे-हुक, यु-हुक	के.जी.	१२११००
ट	२" साइज रूफिङ्ग नेल्स	गोटा	६१०५
	३" साइज रूफिङ्ग नेल्स	"	८१४७
ण	Screw Brass		
१	20mm	गोटा	११६९
२	25mm	"	२१३६
३	35mm	"	३१६३
४	50mm	"	१०१६५
५	75mm	"	१३३३१
त	Screw Steel		
१	20mm	"	११०३
२	25mm	"	११६९
३	35mm	"	२१०६
४	50mm	"	६१३५
५	75mm	"	६१६६
<input type="checkbox"/>	विटुमीन वासर	गोटा	३१००
थ	Roofing bitumen (रूफिङ्ग थलकत्रा)	के.जी.	९०१००
द	४०० ग्रेज प्लाष्टिक सिट	व.मी.	३०१००
म	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२४००१००
य	Plasticfelt (२०मी. × १मी.)	"	२२५०१००
च	१८-२० फिट लामो बाँस	गोटा	१८०१००
	मैन पार्बिस	के.जि.	२००१००
<input type="checkbox"/>	थ्रकनालिक एर्सिड	"	११५१००



सिन्धुली जिल्लाको आ.व. ०७६/०७७ को सिन्धुली जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (रु.)	
			आ.व. ०७६/०७७	
ल	जुट वा पोलिथिनको खाली बोरा	गोटा	१५१००	
स	माटो (हुवानि बाहेक)	घ.मि.	२२०१००	
	सबघेडमा राख्ने माटो (In Capping layer Granular soil)	घ.मि.	३८५१००	
ह	भुस	के.जि.	४१९५	
	गोबर	"	४१४०	
□	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९०१००	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९५१००	
क्ष	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९१००	
ज	Water (पानी)			
	३ कि.मी. सम्म को दुरीमा	लिटर	०१२५	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	०१३०	
३३	स्टेनलेस स्टील पाइप (257/kg)			
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१७१६०	
	१" व्यास भएको १६ गेज मोटाई	"	२१४५०	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	२७३१००	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३३१५०	
	२" व्यास भएको १६ गेज मोटाई	"	४४८५०	
	स्टील रेलिड. steel Raling को बार लगाउने कार्य (२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	११३४१००	
३४	मार्बल चिप्स			
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१५०१००	
	(ख) रंगिन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१५०१००	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१६०१००	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१३५१००	
३५	मार्बल (Marble)			
३५.१	राजस्थानी मार्बल			
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१२६१००	
	१६ मी.मी बाक्लो राजस्थानी	"	१३११२५	
३५.२	ग्रेनाइट			
३५.२.१	१२ मी.मी बाक्लो ग्रेनाइट	"	२६२५०	
३५.२.२	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	२६७७५	
३५.२.३	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	३०४५०	
३५.३	Kota Stone			
३६	Porcelain Glazed/Terrazo Mosaic Tiles			
३६.१	Porcelain Glazed Tiles			
	ग्लेज टायल्स (१२ " X ८ ") सम्मको।	व.फि.	४४१०	

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right, along with the word 'डाँगा' (Danga) written in the center.



सिन्धुली जिल्लाको आ.व. ०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (रु.)	
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।			
१	Cotto Tiles	"	६०१९०	
२	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	११२३५	
३	Ordinary floor and wall Tile	"	७५१६०	
४	Border Tile (२ " X ८ ")	र.फि.	(
५	Border Tile (२ " X ८ ")	व.फि.	३८८५	
६	Indian Ceramic Wall Tile (31*45cm)	"	१५७५०	
७	Indian Ceramic Border Tile (31*45cm)	"	१५९१६०	
८	Indian Ceramic Floor Tile (31*45cm)	"	१५९१६०	
	Flooring tile GVT Swastik/Victory / Espanoi or equivalent			
३६.२	LG Floors Tiles			
	L.G. Deluxe Tiles (300x300x2mm)	"	७०१३५	
	L.G. Deco Tiles (450x450x3mm)	"	२८५१६०	
	L.G. Deco Wood (100x920x3mm)	"	१०७७१०	
	Fittings for Tiles	"	१२६०	
	Fittings for Tiles on stairs	"	१४१७०	
	Dendrite for tiles	लि.	३४३३५	
३६.३	ELITE / FORBO FLOORING COATING			
३७	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.			
	a) POP Molding 1" to 1½"	र.मि	२३११००	
	b) Up to 5" wide	र.मि	२७७१००	
	c) Up to 8" wide	र.मि	३८२१००	
	d) Above 8" wide	र.मि	१५६१००	
३७.१	रंगरोगनका सामानहरू			
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१७१००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३२१००	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	३४१००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	६०१००	
	(थ) सिमेन्ट प्राइमर सेतो	"	२३६१२५	
	(छ) उड प्राइमर (Wood Primer)	लिट्र	३१५१००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	४६३११०	
	(च) नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	४४६१२५	
	(ज) कोरुगेटेड रुफ Paint	"	४२०१००	
	(झ) तयारी अल्मुनियम पेन्ट	"	४३५१७५	
	(ञ) तयारी वानेस	"	३८८१५०	

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right, along with the text 'डा. गा' at the bottom center.



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व.०७६/०७७
	(ट) तयारी वार्नेर सेन्थेटिक	"	२९४१००
	(ठ) भारतीय थिनर	"	१७०१००
	(ड) उड एण्ड ग्लास पुटिन	के.जी	११५१५०
	(ढ) मेटल पुटिन	"	१३६१५०
	(ण) चुना पेन्ट गर्न राख्ने गम	"	१७८१५०
	(त) नेपाली थिनर	लिट्र	१६०१००
	(द) तारपिन तेल	"	१८९१००
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२३११००
	(न) उड प्रिजरभेटिव पेन्ट	"	२०११६०
	(प) Black Japan Paint	"	२५२१००
	(फ) राम तिलक	के.जि.	४९१३५
	(ब) गेरु रंग	के.जि.	१२०१७५
	(भ) चप्रा पालिस	के.जि.	८०८१५०
	(म) तयारी वासेवल डिस्टेम्पर	लि.	१५२१९०
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	४६४१२०
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	५५६१५०
	(र) Road Marking Paint	"	५१११००
	(ल) लिनसिड आयल (linsed Oil)	"	१७३१२५
	(व) स्थानीय स्पीट	लि.	१०३१९५
	(स) मोविकल/फेविकल	के.जि.	२३११००
	(ष) Tata Red Oxide Paint	"	२३११००
	(ह) गट्टा चुन (ईण्डीयन)	"	१९१४३
	(झ) Wall putty equaivalent Asian , Berger & other company.	के.जि.	६०१९०
	(ञ) Plaster of Parish (POP)	के.जि.	१९१९५
	wood keeper (chapara type)	लि.	४८५१८४
	Redoxide zink cromate primer For Bridge	लि.	४०९१००
	Silk Breathless easy	लि.	११२५१००
	Road divider (polythene)	गोटा	१५००१००
	Dust bin (polythene) 165 ltr	गोटा	२८५०१००
	Wall putty Epoxy flooring		
	wall plast wall putty (40kg)	Bag	१२०७५०
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	१९२५१००
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३४१०१००
	Epoxy Paint for Operation theater	"	१०६४२१००
३७.२	Decorative Painting Material Acro & equivalents		
३	Specialized paints(Dr. wallz)		
३८	Wall Paper		

Handwritten signatures and notes at the bottom of the page, including the name 'गंगा' (Ganga) and other illegible signatures.



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	
			आ.व.०७६/०७७	
	Wall paper (10m.x 0.53m)	रोल	१२००/१००	
	Fittings for wall paper	व.फि	७/१००	
	White glue for wall paper	लि.	१०५/१००	
३९	Eradication of peepal & other plants			
	a) Stem up to 1" thickness	गोटा	४०५/१९०	
	b) Stem up to 1"-2" thickness	"	७३५/१९०	
	c) Stem up to 2"-3" thickness	"	१३९/७५५	
	d) Stem up to 3"-4" thickness	"	१६०/४/४६	
४०	Gypsum board			
४०.१	Supplying and fixing of Thai gypsum board application work			
	i) फल्स सिलिङ्ग गर्ने	व.फि	२१/१००	
	ii)Water resistant false ceiling	"	२९/४०	
	iii)Wall partition	"	११५/५०	
	iv)Wall paneling	"	७६/६५	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	६८/२५	
४१	Calcium Silicate Board supplying & fitting all complete work			
४१.१	RAMCO HILLUX Brand			
	6mm thick	व.फि	७७/८८	
	8mm thick	"	८८/५०	
	10mm thick	"	९९/१२	
	12mm thick	"	१०९/७३	
४१.२	Cement flexy board False ceiling work			
	Ceiling work 6mm thick	व.मी.	१०५/०१००	
	Flooring board 25mm*8ft*4ft	गोटा	४८००/१००	
	Wooden Plank 8*150*3000mm	"	१२००/१००	
	Skirting 8*50*300mm	"	९५/०१००	
	Texture board 6mm*8ft*4ft	"	१९२/०१००	
	Solid infill wall 3"	व.मी.	३२००/१००	
	Laminated safety glass 6.38mm	"	६९९/४/१००	
	Structure glazing with laminated safety glass 6.38	"	११७००/१००	
४१.३	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent			
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३२०१/१००	
४२	Interlocking Cement Concrete Block(Not less than M20 RCC Block)			
	a) Curb stone (M 25)	र.मि.	९९/०१००	
	25 mm thick C.C. Tile (Grey color)			

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



सिन्धुली जिल्लाको आ.व. ०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (र.)	
			आ.व. ०७६/०७७	
	Burfi , Round , Boby Checker	Sqft	३८१००	
	25 mm thick C.C. Tile (Red color)			
	Burfi , Round , Boby Checker	Sqft	४०१००	
	50 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	४६१००	
	50 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	४७१००	
	60 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४८१००	
	60 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४९१००	
	70 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५५१००	
	60 mm thick CC Block (Ocm or equivalent)			
	Brick type (23*11*6cm)non colour	Nos	८१८५	
	Hexagon (22*22 cm) non colour	"	२०१३५	
	Hexagon (22*22 cm) colour		२२१९२	
	Squire paver (30*30*4.5cm)non colour	"	२८१३२	
	Squire paver (30*30*4.5cm)colour		३०१९७	
	inter block(24*13*6cm)	"	१३१२७	
	Isave paver (20*16*6cm)	"	१५१०४	
४३	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य			
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्को प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित (तयारी)	व.मि.	६०५१००	
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	७२१६०	
४४	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting			
	i) Heritage granular	व.फि	८५१००	
	ii) Heritage flakes	"	१०५१००	
	iii) Heritage granite finish	"	८५१००	
	iv) Heritage Top coat (plastic lamination)	"	२२१००	
४५	UPVC Profile Door and Window/ Wall partition			

गंगा



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (र.) आ.व.०७६/०७७	
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.			
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू			
	i) Single glazing			
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि.	७००५१००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि.	६४७०१००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि.	७२७५१००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि.	७२७५१००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि.	७९७५१००	
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि.	८०८५१००	
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि.	८६२५१००	
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि.	८६२५१००	
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि.	८३५५१००	
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि.	९७००१००	
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि.	८३७५१००	
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि.	९५९९१००	
१२	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि.	१००५९१००	

जिला



सिन्धुली जिल्लाको आ.व.०७६।०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	
			आ.व.०७६।०७७	
१२	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि.	१०४०५।००	
१३	UPVC60x60mm white colour swing door with 5mm glass pannel		६५३१।००	
	ii) Double glazing			
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि.	९१६०।००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि.	८६७५।००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि.	९४३५।००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि.	९४३५।००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि.	१०१३५।००	
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि.	१०२४०।००	
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि.	१०७८०।००	
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि.	१०५१०।००	
९	Supply & fixing of 80*50 mm white colour casement window	व.मि.	९३३१।००	
४६	Prefab Panel for wall Partition Everest solid wall panel (ESWP) or Equivalient			
४६.१	Supply and erection of different mm th. cement base prefabricated everst solid wall panel (RAPION) non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete			
	a)40 mm thick	sqft	१६७।०५	
	b)50 mm thick	sqft	१९६।२२	
	c) 75 mm thick	sqft	२४८।७५	
४६.३	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	३२।००	
४७	Aluminium &Steel Door & Window			

[Signature 1] [Signature 2] [Signature 3] [Signature 4]



सिन्धुली जिल्लाको आ.व.०७६।०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	
			आ.व.०७६।०७७	
४७.९	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.			
	100 Series			
	Providing and fixing Single Panel Swing Door of aluminium section in naturally anodized or black anodized/powder coated color Section size (100*45*1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	व.मि.	७५००।००	
	Providing and fixing Double Panel Swing Door of aluminium section in naturally anodized or black anodized/powder coated color Section size (100*45*1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	व.मि.	७५००।००	
	90 Series Windows			
	Providing and fixing 2 or 3 Panel Sliding window of aluminium section in naturally anodized or black anodized/powder coated color, Section size (87*56*1.2 mm) fitted with 5 mm clear glass without fly mesh shutter (Window size 6'*5' or average area 30 Sq. feet per window).	व.मि.	५५००।००	
	Providing and fixing Fly mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	व.मि.	५५००।००	
	64 Series Partation			
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88*38*1.20) mm and 5 mm glass.	व.फि	४४०।००	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88*38*1.20) mm and 5 mm glass.	"	४७३।००	
	Aluminum sliding windows without ventilator from section (101*45*1.50) mm and 5 mm glass.	"	४६२।००	
	Do but with ventilator from section (101*45*1.50)mm and 5 mm glass.	"	४९५।००	
	Siding door with naturally anodized color section of (101*45*1.50)mm (40*45*1.5)mm & 5 mm glass.	"	५६६।७०	

Handwritten signature

Handwritten signature

Handwritten signature

जंजा



सिन्धुली जिल्लाको आ.व. 076/077 का जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (र.) आ.व. 076/077	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	४४०१००	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	५३९१००	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	५३९१००	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	४९८१००	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	४९८१००	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	४९८१००	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	३९६१००	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	४३४१५०	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	४७८१५०	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	४७८१५०	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	४३४१५०	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	६७५१००	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	६७५१००	
	Partition work			
	Providing and fixing aluminum full height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३५०१००	

(Handwritten signatures and marks)

जा जा



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			बाहेक (रु.)	
			आ.व.०७६/०७७	
	Providing and fixing aluminum low height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	३५५१००	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	४५०१००	
	Providing and fixing aluminum low height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	४५०१००	
Structure glazing				
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६५०१००	
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६५०१००	
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६५५१००	
४८	Aluminium composite panel			
४९	Water proofing (chemicals & Treatment)works			
१	CONCRETE ADMIXTURES (Chemical)			
१.१	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	५००१००	
१.२	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	५५०१००	
१.३	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	६५०१००	



सिन्धुली जिल्लाको आ.व.०७६।०७७को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (र.)	
			आ.व.०७६।०७७	
१.५	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	५५०।००	
१.६	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	५५०।००	
१.७	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	४४०।००	
१.८	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	४५०।००	
१.९	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	३७५।००	
१.१	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	५५०।००	
१.११	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	५५०।००	
१.१२	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	५५०।००	
१.१३	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	५५०।००	
१.१४	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	५५०।००	
१.१५	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	५५०।००	
२	CONCRETE ADMIXTURES (Mineral)			

(Handwritten signatures and stamps)

संज्ञा



सिन्धुली जिल्लाको आ.व.076/077 को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.) आ.व.076/077	
२.१	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३५०१००	
२.२	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	४५०१००	
५	ENGINEERING GROUTS			
१०.५	WATERPROOFING SYSTEMS			
१४	Soil Stabiliser / Admixture			
१४.१	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	३५०१००	
५०	परम्परागत निर्माण सामग्रीहरू :-			
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२०१००	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	१६१००	
	३) दचिअपा ठूलोको कुँ	"	२४१००	
	४) दचिअपा सानोको कुँ अपा	"	२०१००	
	५) माँ अपा ठुलो ८-७/८"×२-१/४"×५-३/४"	"	(
	६) माँ अपा ठुलो 241x60x158 mm	"	२३१००	
	७) मा अपा सानो ८-३/८"×२"×५"	"	१५१००	
	८) घुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४"	"	२२१००	
	९) घुरी 230x295x25 mm	"		
	१०) घुरी चाँङ्ग सानो	"	१६१५०	
	११) फ्रिगटी नयाँ ८-३/४"×४"	गोटा	१११००	
	१२) फ्रिगटी पूरानो	गोटा	६६०	
	१३) ढुकु	गोटा	३८१५०	
	१४) Snake body brick traditional	गोटा	२४१२०	
	१५) Snake neck brick ,,	गोटा	७११५०	
	१६) Snake head brick ,,	गोटा	१४०१८०	
	क)साना	"	११०१००	
	ख)ठुलो	"	२२०१००	
१७)	पेटीकोलागि ढुङ्गा			
	क) १८"×१०"×४"	"	६६०१००	
१८)	नागोल ईटा	गोटा	१८१७०	
१९)	१९"×९"×१८ इन्च कुना ढुङ्गा	१ मि.	२२००१००	
२०)	फ.ल्होह अपा ठुलो 375x225x100mm	गोटा	१६५१००	
२१)	फ.ल्होह अपा सानो 254x229x102mm	"	१३७५०	
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	१३१२०	
२३)	तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	"	९१९०	
२४)	चारकुनै तेलिया ईटा (८"×८"	"	१८१७०	
२५)	तेलिया ईटा (६"×६"	"	१३१२०	

Handwritten signatures and text at the bottom of the page, including the name 'डा. गा' (Dr. Ga) and other illegible signatures.



सिन्धुली जिल्लाको आ.नं.०७६/०७७ को जिल्ला बररद

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	पू.नं.क. (VAT)
			माहिक (रु.)
			आ.नं.०७६/०७७
१६)	बुद्धेदारी कर्मिशा हटा (वाणीमोहक)	"	२७५०
१७)	बुद्धेदारी कर्मिशा हटा कुना	"	४०१७०
१८)	बुद्धेदारी कर्मिशा हटा ढुलो 222x27.3x76mm	"	१६५१००
१९)	भयाल माथिको कर्मिशा हटा बुद्धेदारी	"	३३१००
२०)	काठको कर्मिशा माथिको हटा ११x६x६"	"	५५१००
२१)	कनर स्लोन : १०"x१०"x१४"	"	१५४०१००
२२)	क) विचको व्याहकल्ल १०"x७"x१४"	"	१०४५१००
२३)	नागोल बुद्धा १८"x१०"x४	"	७७०१००
२४)	भो प्वा	गोटा	२२०१००
२५)	तामा पाता (नेपाली)	कंजी	१०४५१००
	तामा पाता (Indian)	कंजी	१२१०१००
२६)	पिस्तल पाता	कंजी	८२५१००
२७)	पारो	ग्राम	१६५१००
२८)	सूर्कि हटा कुट्टि धुलो बनाएको ।	टन	१३२०१००
२९)	Wind bell हवा घण्टी ४"	गोटा	४५३२०
४०)	नक्कलो बीचको	१ गोटा	१६५०१००
४१)	पेटीबुद्धा ४"	१ मि.	१९८०१००
	४२)पेटीबुद्धा ५"	१ मि.	२४२०१००
४५)	श्री गणेश	गोटा	११००१००
	ढट/कुमार	गोटा	११००१००
	ढठ/गुटे धारा	गोटा	११००१००
	ढडा/ल्लार्के सेर	गोटा	२२००१००
	ढर/नागबेली बुद्धा	गोटा	२४२०
	छण/नागबेली बुद्धा कुना	गोटा	३६३३०
	छना/स्वा बुद्धा	गोटा	२४२०
	छट/धीर बुद्धा	गोटा	२४२०
	छघ/कानैसफयो	गोटा	२०१९०
	छढ/कानैस गजुर पली	गोटा	३३१००
५५)	ठुलो कलश	गोटा	१६५१००
५६)	मसीनो सूर्कि	कंजि	१३१००
५७)	खस्रो सूर्कि	कंजि	७५०
५८)	गट्टा चुन	कं.जि.	२४१००
	मा अपा (साइज 200x50x130)	गोटा	१५१४०
	दचि अपा (साइज 200x55x100)	"	१६१५०
	त्वा अपा (साइज 110x55x180)	"	१६१५०
	गोल अपा (साइज 120x55x80)	"	१६१५०
	गणेश अपा (साइज 200x250x35)	"	३३०१००
	कुमार अपा (साइज 200x250x35)	"	३३०१००
	तारा अपा (साइज 200x250x55)	"	३३०१००
	पन्च बुद्ध अपा (साइज 170x230x55)	"	३३०१००
	कलस अपा (साइज 100x140x40)	"	५५१००
	नागोल अपा (साइज 140x52x120)	"	१८१७०

गंगा



सिन्धुली जिल्लाको आ.व. 076/077 को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			बाहेक (र.)
			आ.व. 076/077
	कसिमो अपा (साइज 230x55x100)	"	२७५०
	सकली अपा (साइज 140x55x115)	"	२४१२०
	पानबुट्टा अपा (साइज 140x55x115)	"	२४१२०
	सानो फ बुट्टा अपा (साइज 180x55x30)	"	२७५०
	ठूलो फ बुट्टा अपा (साइज 230x55x110)	"	२७५०
	नयां फ बुट्टा अपा (साइज 230x55x110)	"	२७५०
	साना ग बुट्टा अपा (साइज 140x50x110)	"	२४१२०
	ठूलो ग बुट्टा अपा (साइज 230x55x90)	"	२७५०
	पुम्हा बुट्टा अपा (साइज 180x55x70)	"	२७५०
	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	२७५०
	तिनकुने पलि अपा (साइज 200x550x90)	"	२७५०
	साना स्वाँ अपा (साइज 140x50x110)	"	२४१२०
	ठूलो स्वाँ अपा (साइज 230x55x90)	"	२७५०
	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	१३७५०
	नाग घटी दायाबायाँ (साइज 140x60x70)	"	७१५०
	नाग जीउ (साइज 140x60x70)	"	२४१२०
	नाग कन्या/पुरुष (साइज 180x380x55)	"	५५०१००
	खाल नागोल (साइज 130x55x120)	"	१८१७०
	खाल फयो (साइज 130x55x135)	"	१८१७०
	लहरा बुट्टा (साइज 125x45x140)	"	२४१२०
	नग बेली (साइज 140x55x120)	"	२४१२०
	मिखाफुसी (साइज 140x55x120)	"	३३१००
	पलियो दायाँ/बायाँ (साइज 130x55x120)	"	२४१२०
	नयां पलिफो (साइज 185x52x80)	"	२७५०
	सिधा पलिफो (साइज 190x55x90)	"	२७५०
	२" सिंह (साइज 95x50x10)	"	३३१००
	२" गरुड (साइज 95x50x100)	"	३३१००
	धलिख्वा (साइज 95x50x100)	"	३३१००
	श्रीयन्त्र (साइज 70x700x80)	"	४४१००
	त्वा फयो (साइज 140x55x120)	"	१८१७०
	तारा बुट्टा पुरानो (साइज 180x55x80)	"	२४१२०
	तारा बुट्टा नयां (साइज 230x70x90)	"	२७५०
	स्वाँफो तारा (साइज 220x55x90)	"	२७५०
	सिक्री बुट्टा (साइज 220x55x80)	"	२७५०
	न्हाय बुट्टा सानो (साइज 140x65x130)	"	२७५०
	न्हाय बुट्टा ठूलो (साइज 140x100x130)	"	२७५०
	नगोल नगोल (साइज 2000x55x90)	"	१८१७०
	ठी बुट्टा (साइज 210x55x75)	"	२७५०
	सानो/ठूलो (साइज)	"	२७५०
५१	Security System		
	Steel Security Gate supply		
	Metal detector (black Scorpion Company)	गोटा	१६५००१००

सिन्धुली

सिन्धुली

सिन्धुली

सिन्धुली

सिन्धुली



सिन्धुली जिल्लाको आ.व.०७६।०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.) आ.व.०७६।०७७	
	Access Controller (Taiwanese)	गोटा	२८०००।००	
	Access Controller (Chainese)	गोटा	१३५००।००	
	Steel Security Door			
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८४३०।००	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	९६४१।००	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	१०११६।००	
	Security System			
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३३३३३।००	
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अफिस तथा ब्यापारिक सुरक्षा प्रविधि)	गोटा	८९९९९।००	
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२००००।००	
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२५००।००	
	v) Finger print access system with software	गोटा	३५०००।००	
	vi) Security from Panic Alarm	गोटा	३५०००।००	
	vii) GPS (Global Positioning System) Device with software	गोटा	२४९९९।००	
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रूपमा on/off हुने प्रणाली)			
	Up to 1/2 H.P.	गोटा	४०००।००	
	1.0 H.P.	गोटा	५५००।००	
	5 H.P.	गोटा	९०००।००	
५२	Bridge Materials			
	Expansion Joint Works			
	Single strip seal	Rm	७५००।००	
	Slab seal(320*50)	„	१५५००।००	
	Thimbles			
	iv) Φ 13 mm thimble	Pc	६०।००	
	v) Φ 26 mm thimble	Pc	२६४।००	
	vi) Φ 32 mm thimble	Pc	३६०।००	
	vii) Φ 36 mm thimble	Pc	८७६।००	
	viii) Φ 40 mm thimble	Pc	१२६०।००	
	ix) Φ 13 mm Bulldog grip	Pc	६०।००	

गंगा



सिन्धुली जिल्लाको आ.व.०७६।०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.) आ.व.०७६।०७७	
	x) Φ 26 mm Bulldog grip	Pc	२४०।००	
	xi) Φ 32 mm Bulldog grip	Pc	३२४।००	
	xii) Φ 36 mm Bulldog grip	Pc	३८४।००	
	xiii) Φ 40 mm Bulldog grip	Pc	५८८।००	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched			
	xv) Wire mesh netting	m ²	३००।००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	६००।००	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२३०।००	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३१०।००	
	High tensile friction grip nut bolts	kg	३१०।००	
	Galvanization			
	Zinc Above 98.5% purity	kg	२२२।००	
	Premix of Zinc amonium chloride	kg	५५०।००	
	Hydraucloric acid	Lit	३८।००	
५३	Concrete Post (Size 4"X4")			
	Length 7'	गोटा	८०८।५०	
	Length 5'	"	४०४।२५	
	Length 3'	"	२०२।१३	
५४	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	२६१४।००	
५५	Readymade RCC Door & windows frame (4"X2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२००।००	
	" Ventilation	"	२००।००	
	" Arc frame semi circular	"	४००।००	

५६	सामान दुवानी सम्बन्धि दररेट :		
१	ट्रक, इन्धन वाहेक (६ टन)	दैनिक	८८००।००
२	ट्रक, इन्धन सहित	दैनिक	१४३००।००
३	दुवानी (पक्की सडक)	क्वि./किमी	२।२५
४	दुवानी (ग्राभेल सडक)	क्वि./किमी	२।७५



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	
			वाहेक (रु.)	
			आ.व.०७६/०७७	
५	ढुवानी (कच्ची सडक/धूले सडक)	क्व./कि	४१००	
६	ट्रेक्टर (इन्धन वाहेक)	दैनिक	३८५०१००	
७	ट्रेक्टर (इन्धन सहित)	दैनिक	७०००१००	
८	जीपकार, इन्धन वाहेक	दैनिक	८०००१००	
९	पम्पीड सेट ४", इन्धन सहित	घण्टा	२२०१००	
१०	ढुवानी, ज्यामी द्वारा	कमि	११००	
११	सिन्धुली देखि यस जिल्लाको विभिन्न बजारमा भरिया द्वारा HDPE pipe etc अण्डारो समान ढुवानी गराउँदा भरिया ज्याला	प्र.केज/कोष		
१	हिउँदमा	कोष	२१००	
२	वर्षादमा	कोष	२१००	
५७	सिन्धुली देखि यस जिल्लाको विभिन्न ठाउँमा भरिया द्वारा पोलिथिन पाइप तथा अण्डारो समान ढुवानी गराउँदा भरिया ज्याला	प्र.केज/कोष	६१००	
५८	४०-५० के.जि.सम्मको भारी बोकी प्रति दिन ४ कोष हिडने भरिया	प्र.दिन प्र.जवान	४०७१००	
क	जस्तापाता,विजुली सामान,सिसा,फुटने सामान तथा तौलको आधारमा बोक्ने नमिलने सामानहरू जस्तै लामो पाइप ५० मीमी.Ø भन्दा ठुला,लामो छडहरू,फलामे टुस,गेट सामान,ग्यावियन क्रेटहरू लगायत औषधि,उपकरण भ्याक्सिन,मेटलविन आदि ४० के.जी देखि ५० के.जी.सरदर तौल बोकी ४ कोष प्रति दिन हिडने भरियालाई	प्र.दिन प्र.जवान	४८४१००	
ख	बंगुर,बोका,बाखा,साँडे,गाई,राँगा आदि	प्र.कोष प्र.जवान	१२११००	
ग	माछाको भुरा १०० गोटाको एक पकेट,हास तथा कुबुरा २०-३० गोटाको एक भारी ढुवानी गर्दा दैनिक ४ कोष हिडने भरियालाई	प्र.कोष प्र.जवान	१२११००	
घ	फलफुल तथा डाले घांस विरुवा एंव कटिच्च ढुवानी गराउनु पर्दा सरदर ४० के.जी. हुनु पर्ने	प्र.भारी प्रति कोष प्र.जवान	१२११००	
५९	(क) नेपाल टेलिकम सिन्धुली शाखाबाट जिल्लाका रिपिटर स्टेशन ठाउँहरूमा रेडियो एन्टिना, भि.एच.एफ.सेटहरू एसिड डिप्टिल्ड वाटर, डिजेल मोबिल आदि ५० केजि/लिटर सम्मको भारी आदि मूल्यवान एवं अण्डारो सामानहरू सुरक्षित साथ पू-याउने			
क	बेलघारी छरछरे रिपिटर स्टेशन	प्र.भारी प्रति	१५५०१००	
ख	मतानवास रिपिटर स्टेशन	प्र.भारी प्रति	१५५०१००	
ग	आले खोख्ले तथा अन्य ठाउँका रिपिटर स्टेशन सबै	प्र.भारी प्रति	१५५०१००	



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.) आ.व.०७६/०७७
	(ख) टेलिफोन फलाम र फिटको पोल मानिसबाट ढुवानी गर्दा प्रति पोल समतलमा ८ र पहाडमा १२ जवान को दरले	कोष प्रति व्यक्ति	३३०/१००
	(ग) टेलिफोनको पोल उखेल्ल, गाड्न र केबल तान्नको लागि	प्र.व्यक्ति दिन	५५०/१००
	सवारी साधन नजाने स्थानमा निम्न क्षमताको त्चबलकायकभच मानिस बाट ढुवानी गर्दा १० KVA देखि १५ KVA सम्म प्रति गोटा	प्रती कि.मी.	३३००/१००
६०	विभिन्न मेशिन भाडामा :		
	एस्काभेटर र ब्रेकर (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	२५००/१००
	डोजर (भाडामा), ईन्धन वाहेक	घण्टा	२४२०/१००
	लोडर (भाडामा), ईन्धन वाहेक	घण्टा	१६५०/१००
	रोलर (भाडामा), ईन्धन वाहेक	घण्टा	११००/१००
	ग्रेडर (भाडामा), ईन्धन वाहेक	घण्टा	२२००/१००
	मिक्स्चर मेशिनर (भाडामा)	दैनिक	४९५०/१००
	न्यूमेटिक रोलर	घण्टा	२७५०/१००
	डिस्ट्रीब्युटर बोइलर सहित	घण्टा	३८५०/१००
	कम्प्रेसर मेशिन	घण्टा	५५०/१००
	भाईब्रेटर मेशिन	घण्टा	९६/८०
	भाईब्रेटर मेशिन (with oil and Operator)	घण्टा	२७५/१००
	चिप्स स्प्रेय मेशिन	घण्टा	२२०/१००
	भाईब्रेटर रोलर मेशिन ८ देखि १० टन सम्म	घण्टा	२२००/१००
	जे.सि.वी मेशिन (ईन्धन सहित)	घण्टा	२०००/१००
६१	विजुली सामान मानिस बाट ढुवानी		
	विजुली काठको पोल मानिस बाट ढुवानी गर्दा प्रति पोल समतलमा ८ जना, पहाडमा १० जना को दरले	कोष /व्यक्ति	१६५/१००
	(क) स्टिल ट्युबलर पोल ९ मिटर देखि ११ मिटर टेलिस्कोपिक पोल ९ मिटर देखि ११ मिटर मानिस बाट ढुवानी गर्दा प्रति पोल समतलमा १० जना पहाडमा १२ जना को दरले	कोष /व्यक्ति	२२०/१००
	(ख) ८ देखि ११ मि. लामो ट्युबल, टेलिस्कोपिक, ट्रिटेड काठको पोल लोड अनलोड	प्रती गोटा	१८१/५०
६२	मट्टीतेल, डिजेल, पट्रोल र लुब्रीकेन्ट	ली	नेपाल आ.नि.ले निर्धारण गरे बमोजिम हुने
६३	बोटधिरुवा तथा बनस्पती		
	खयरको बीउ	के.जी.	८८०/१००
	कालो सिरिस बीउ	के.जी.	८८०/१००
	सेतो सिरिस बीउ	के.जी.	११००/१००
	कदम बीउ	के.जी.	२२००/१००

Handwritten signatures and stamps at the bottom of the page, including the name 'साजा' (Saja) in the center.



सिन्धुली जिल्लाको आ.व.०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.)
			आ.व.०७६/०७७
	निम बीउ	के.जी.	५५०१००
	च्युरी बीउ	के.जी.	५५०१००
	दार/गिठी बीउ	के.जी.	६६००१००
	लप्सी बीउ	के.जी.	८८०१००
	कपुर बीउ	के.जी.	९९०१००
	राजबृक्ष बीउ	के.जी.	८८०१००
	सतिसाल बीउ	के.जी.	८८०१००
	सिसौ बीउ	के.जी.	४४०१००
	रुद्राक्ष बीउ	के.जी.	११००१००
	मसाल बीउ	के.जी.	५५००१००
	लाकुरी बीउ	के.जी.	२२००१००
	कांगीयो बीउ	के.जी.	४४००१००
	धुपी सल्लो बीउ	के.जी.	२७५०१००
	ओखर बीउ	के.जी.	५५०१००
	विजयसाल बीउ	के.जी.	६६०१००
	रक्त चन्दन बीउ	के.जी.	११००१००
	अशोक बीउ	के.जी.	५५०१००
	गुल मोहर बीउ	के.जी.	५५०१००
	अमला बीउ	के.जी.	३३०१००
	खोटे सल्लो बीउ	के.जी.	१६५०१००
	गावें सल्लो बीउ	के.जी.	१८७०१००
	टिक बीउ	के.जी.	३३०१००
	तामेबांस बीउ	के.जी.	१६५०१००
	धनुबांस बीउ	के.जी.	१६५०१००
	सेतो कोइरालो बीउ	के.जी.	५५०१००
	टांकी बीउ	के.जी.	५५०१००
	निगारो बीउ	के.जी.	३३००१००
	चाप बीउ	के.जी.	८८०१००
	पैयू बीउ	के.जी.	२७५१००
	सिमल बीउ	के.जी.	१३२००१००
	उतिस बीउ	के.जी.	३८५०१००
	तेजपात बीउ	के.जी.	८८०१००
	कुरिलो	के.जी.	५५०१००
	हर्रो, वर्रो, अमला विरुवा	गोटा	१३१२०
	तेजपात विरुवा	गोटा	१८१७०
	चिराईतो विरुवा	गोटा	१११००
	अभ्रिसो (राईजोम सहित) विरुवा	गोटा	४१४०
	नेपियर विरुवा	गोटा	२१००

गंगा



सिन्धुली जिल्लाको आ.व. ०७६/०७७ को जिल्ला दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)
			वाहेक (रु.)
			आ.व. ०७६/०७७
	वन विरुवा	गोटा	१११००
	पोलीट्युव २०० गग ३"×७"	के.जी.	३८५१००
	पोलीट्युव २०० गग ४"×७"	के.जी.	४४०१००
	वैश (Thumb Size) ०.५ मि. लम्बाई	गोटा	१११००
	वैश कटिङ्ग ६ से.मि. Ø १.५ मि. लम्बाई	गोटा	३४१९०
	आप आम्रपाली २ वर्ष	गोटा	७५१००
	आप आम्रपाली ३ वर्ष	गोटा	१५०१००
	आप अन्य २ वर्ष	गोटा	४५१००
	आप अन्य ३ वर्ष	गोटा	९०१००
	लिचि २ वर्ष	गोटा	४०१००
	कागती जुनार	गोटा	३५१००
	अगरउड	गोटा	१८०१००
	लोठ सल्ला	गोटा	१५०१००
	भुङ्कटहर विशेष	गोटा	१२५१००
	टिमुर	गोटा	६०१००
	रुख कटहर, अम्बा	गोटा	६०१००
	वास बिउवाट	गोटा	९०१००
	अलैची	गोटा	१५१००
	वास कटिङ्ग	गोटा	१५०१००

Handwritten signature

Handwritten signature

Handwritten signature

जंगल

Handwritten signature
2063/31/30



Sindhuli Electrical Material District Rate 2076/077

S.N	Particular	Unit	Rate
1	Skilled Labour	No	990.00
3	Labour	No	715.00
Lighting accessories			
1	20 Watt FTL rod	No	78.00
2	8 to 11 watt CFL lamp	No	225.00
3	13 to 22 watt CFL lamp	No	290.00
4	40 Watt FTL rod	No	78.00
5	40 Watt FTL ballast(Chowk)	No	250.00
6	150 Watt SV bulb	No	1260.00
7	250Watt SV bulb	No	1650.00
8	FTL Starter	No	18.00
9	Alluminium Listy	R.m.	435.00
10	PVC Listy 0.5"	pcs	30.00
11	PVC Listy 0.75"	pcs	45.00
12	PVC Listy 1"	pcs	65.00
13	PVC Listy 1.5"	pcs	125.00
14	PVC Listy 2"	pcs	140.00
15	Acralic Cover 2'x2'	No	960.00
3.1 Dyna/CPL Switch & Socket			
1	1gang one way Switch	No	54.00
2	1gang Two way Switch	No	62.00
3	1 Bell Push	No	54.00
4	2 gang Switch one way	No	92.00
5	3 gang Switch	No	118.00
6	4 gang Switch	No	144.00
7	6 gang Switch	No	236.00
8	8 gang Switch	No	282.00
9	16 Amp Switch Indicator	No	154.00
10	6 Amp Uni Socket Switch Combined Wit	No	154.00
	20/25 Amp SP AC motor starter with 6/16 Amp Power socket		360.00
11	Dimmer Single 300 Watt	No	270.00
12	Dimmer Single 750 Watt	No	403.00
13	16/6 Amp Combined S/Socket With Shu	No	116.00
	16 Amp 3 pin Plug Top	No	81.00
14	DP Switch 16-32 Amp	No	146.00
15	Blanking Plate Single	No	36.00
16	Telephone Socket Single	No	106.00
17	Angle Holder	No	34.00
18	Ceiling Rose	No	34.00
19	Bottom Holder	No	34.00
20	Buzzer	No	94.00
21	Musical Bell	No	216.00
5.41 Panel Board & Accessories Panel Board Doubled door type with locking arrangement with two coat of red oxide metal primer and final coats enamel paints with TPNE CU Busbar and Acc.			
1	60/75/100 Amp Panel Board 9"x36"x48"	Set	20790.00
2	60/100 Panel Board 12"x36"x48"	Set	24750.00
3	60/100 Panel Board 9"x48"x60"	Set	34650.00
4	60/100 Panel Board 12"x48"x60"	Set	41250.00
5	150/200 Panel Board 9"x38"x52"	Set	23100.00
6	150/200 Panel Board 12"x38"x52"	Set	23100.00
7	150/200 Panel Board 9"x42"x56"	Set	25724.00
8	250/300 Panel Board 12"x48"x60"	Set	33500.00
9	400 Amp Panel Board 12"x52"x66"	Set	39920.00
10	250/300 AMP 12"x52"x62" Size Panel Bo	Set	37501.00

S.N	Particular	Unit	Rate
2	Un skilled	No	715.00
2.3 Siemens Or North-West Switch and Socket			
1	1 gang Switch with Plate Set	Set	195.00
	1gang Two way Plate set	Set	222.00
2	2gang Switch with Plate Set	Set	276.00
3	3gang Switch with Plate Set	Set	393.00
4	4 gang Switch with Plate Set	Set	402.00
5	5 gang Switch with Plate Set	Set	0.00
6	6 gang Switch with Plate Set	Set	427.00
7	T.V Socket With Plate	Set	197.00
8	T.P. Socket With Plate	Set	197.00
9	Bell Push with Plate	Set	239.00
10	5 Amp socket with plate	Set	248.00
11	15 Amp socket with plate	Set	317.00
12	13Amp flat socket with plate	Set	322.00
4.2 Switch Gears (ISI) Mark			
1	16 Amp 415 Volt DP Main Switch S rewireabl	No	335.00
2	32 Amp 415 Volt DP Main Switch S rewireabl	No	850.00
3	63 Amp 415 Volt DP Main Switch S rewireabl	No	2300.00
4	100 Amp 415 Volt DP Main Switch rewireable	No	4400.00
5	16 Amp 415 Volt DP Main Switch HRC	No	990.00
6	32 Amp 415 Volt DP Main Switch HRC	No	1430.00
7	63 Amp 415 Volt DP Main Switch HRC	No	3190.00
8	100 Amp 415 Volt DP Main Switch HRC	No	6150.00
9	200 Amp 415 Volt DP Main Switch HRC	No	8850.00
10	16 Amp 415 Volt TP Main Switch HRC	No	1230.00
11	32 Amp 415 Volt TP Main Switch HRC	No	1760.00
12	63 Amp 415 Volt TP Main Switch HRC	No	4930.00
13	100 Amp 415 Volt TP Main Switch HRC	No	7040.00
14	200 Amp 415 Volt TP Switch HRC	No	9790.00
15	300 Amp 415 Volt TP Switch HRC	No	12540.00
16	400 Amp 415 Volt TP Switch HRC	No	17600.00
17	16 Amp 415 Volt Change over Switch	No	500.00
18	32 Amp 415 Volt Change over Switch	No	1250.00
19	63 Amp 415 Volt Change over Switch	No	3200.00
20	100 Amp 415 Volt Change over Switch	No	9360.00
21	200 Amp 415 Volt Change over Switch	No	17680.00
22	300 Amp 415 Volt Change over Switch	No	12012.00
23	63 Amp Bus Bar Chamber	No	2737.00
24	100 Amp Bus Bar Chamber	No	4187.00
25	200 Amp Bus Bar Chamber	No	5160.00
26	300 Amp Bus Bar Chamber	No	6232.00
6 Seimens / North West Box			
1	1 gang box	No	50.00
2	2 gang box	No	50.00
3	3 gang box	No	54.00
4	4 gang box	No	66.00
5	5 gang box	No	130.00
6	6 gang box	No	132.00
7	TV socket box	No	50.00
8	Telephone socket box	No	50.00

Handwritten signatures and notes:
 - A large signature across the bottom left.
 - A signature in the center with "3/11" written above it.
 - A signature on the right with "21.5" written below it.
 - Another signature on the far right.



Sindhuli Electrical Material District Rate 2076/077

S.N	Particular	Unit	Rate
7.39 Moulded Case Circuit Breaker (18 /50KA)			
Siemens/marlingerin/GE or ISI made			
1	16-80AMP MCCB	Set	5500.00
2	100 Amp MCCB	Set	6200.00
3	20/32 Amp MCCB (40KA)	Set	0.00
4	125 Amp MCCB	Set	8000.00
5	160Amp MCCB	Set	9500.00
6	200 Amp MCCB	Set	20500.00
7	400 Amp MCCB	Set	34500.00
8	630 Amps MCCB	Set	47000.00
General			
11	Voltmeter (0- 500)	Set	993.00
12	Amp Meter (0-500)	Set	950.00
13	Indicator	Set	230.00
14	Selector Switch	Set	690.00
15	60/100 Amp C.T.Coil set(3pcs)	Set	1390.00
16	150/200 Amp C.T.Coil set(3pcs)	Set	1730.00
17	Energy Meter SP	Set	2205.00
18	Energy Meter 3 Phase	Set	9930.00
9.4/5 Join Box Metal / PVC			
1	4" x 4" Junction Box Metal	No	97.00
2	4" x6" Junction Box Metal	No	145.00
3	6" x 8" Junction Box Metal	No	230.00
4	8" x 10" Junction Box Metal	No	339.00
5	8" x 12" Junction Box Metal	No	339.00
6	4" x4" Junction Box PVC	No	30.00
7	4" x6" Junction Box PVC	No	30.00
8	6" x 8" Junction Box PVC	No	45.00
9	8" x 10" Junction Box PVC	No	65.00

11.15 Fan: Orient, Bajaj, Crompton Or Equ.			
1	36" Ceiling Fan	Set	2100.00
2	42" Ceiling Fan	Set	2200.00
3	48" Ceiling Fan	Set	2250.00
4	56" Ceiling Fan	Set	2500.00
5	16" Wall Fan	Set	2750.00
6	6" Exhaust fan	Set	1450.00
6	9" Exhaust Fan	Set	1750.00
7	12" Exhaust Fan	Set	2500.00

14.16 General Fittings.			
1	Dome light 6" Decorative	Set	175.00
2	Dome light 6" Decorative Brace	Set	715.00
3	Dome light 8" Decorative	Set	220.00
4	Dome light 8" Decorative Brace	Set	850.00
5	1x11/13 W CFL Down Light(Conceal Light)	Set	940.00
6	Wall Bracket/Spot Light/Mirror Light (ordinary)	Set	225.00
7	Bulk head Single Direct Ord. Decon	Set	350.00
8	Wall Bracket/Spot Light/Mirror Light best quality Homedec,Decon or ISI eqv.	Set	800.00
9	Dome light 8" Silver Cast Milky Base Decorative set Homedec,DECON or ISI Eqv.	Set	1075.00

S.N	Particular	Unit	Rate
9	5/15 Amp Power socket box	No	50.00
8 and Distribution Board ABB,Seimen,Hager,North-west & Eg			
1	6-32 Amp SP MCB	No	160.00
2	6-32 Amp DP MCB	No	600.00
3	6-32 Amp TP MCB	No	1070.00
4	6-32 Amp TPN MCB	No	1450.00
5	40-60 Amp SP MCB	No	0.00
6	40-60 Amp DP MCB	No	950.00
7	40-60 Amp TP MCB	No	1350.00
8	40-60 Amp TPN MCB	No	1800.00
9	4 Way SPN DB Double Cover	No	1050.00
10	6 Way SPN DB Double Cover	No	1102.00
11	8 Way SPN DB Double Cover	No	1374.00
12	12 Way SPN DB Double Cover	No	1630.00
13	16 Way SPN DB Double Cover	No	1742.00
14	3/4 Way TPN DB Double Cover	No	2590.00
15	6 Way TPN DB Double Cover	No	2910.00
16	8 Way TPN DB Double Cover	No	5630.00
	50 Pair Telephone DB with Crown tag	No	5287.00
17	1 Pole PVC MCB Box	No	78.00
18	2Pole PVC MCB Box.	No	78.00
19	4 Pole PVC MCB Box	No	126.00

10.19 Steel Tubelar/Wood Pole			
1	134mm dia,3300mm ht,155mm dia 2250mm ht,90mm dia 2250 ht and 76mm dia 1650mm ht with over lapping of 200mm,150mm,100mm respectively)	No	12600.00
2	7 Meter Steel Tubelar Pole (Bottom 115mm dia,3300mm ht,90mm dia 2400mm ht, and 76mm dia 1650mm ht with over lapping of 200mm,150mm,100mm respectively)	No	11706.00
3	7 Meter Steel Tubelar Pole (Bottom 115mm dia,3100mm ht,90mm dia 2300mm ht, and 76mm dia 1600mm ht with WELDED joints.	No	12120.00

12.18 Roma/Appolo Bell Indicator			
1	4 way Indicator With Bell	Rm	1219.00
2	6 way Indicator With Bell	Rm	1990.00
3	8 way Indicator With Bell	Rm	2768.00
4	12 way Indicator With Bell	Rm	4267.00

13.23 Cable /Wire Nepal Cable, Prakash Cable or NS			
1	1/18 PVC Copper Wire Nepal, Prakash	Rm	10.22
2	3/22 PVC Copper Wire Nepal, Prakash	Rm	12.22
3	3/20 PVC Copper Wire Nepal, Prakash	Rm	19.44
4	7/22 PVC Copper Wire Nepal, Prakash	Rm	27.22
5	7/20 PVC Copper Wire Nepal, Prakash	Rm	44.44
6	7/18 PVC Copper Wire Nepal, Prakash	Rm	70.00
7	7/16 PVC Copper Wire Nepal, Prakash	Rm	144.44

Multistrand Flexible wire(1 coil=90.00Meter)			
1	1.0mm2 PVC insulated copper wire	Rm	12.22

Handwritten signatures and notes in Nepali script at the bottom of the page.



Sindhuli Electrical Material District Rate 2076/077

S.N	Particular	Unit	Rate
10	Dome light 8" Black Cast Milky Base Decorative set Homedec, DECON or ISI Eqv.	Set	550.00
11	Bollard Graden light Medium size Homedec, DECON or ISI eqv.	Set	3000.00
12	Bollard Graden light Full size Homedec, DECON or ISI eqv.	Set	3375.00
13	8" Globe type Post top lamp complete set Homedec, DECON or ISI eqv..	Set	1375.00
14	10" Globe type Post top lamp complete set Homedec, DECON or ISI eqv..	Set	2625.00
15	Exit Light safty sign	Set	800.00
16	Dinning Lamp Decorative Med	Set	1650.00
17	Chandlers Lamp 3-5 Lamp Med	Set	10450.00
18	Chandlers Lamp 6-8 Lamp Med	Set	14650.00
19	80x80x3.15(18kg)	Set	16020.00
20	IS: 3043 Copper Plate 65x65x3.15(11.88 Kg)	Set	10573.00
21	S.W.G.No.8 Bare Copper Wire.	Rm	140.00
22	100 Watt Bulb(ISI)	Set	25.00
23	25*3 mm Copper Strip(60"=1kg appox)	Kg	1050
24	20*3 mm Copper Strip(65"=1kg appox)	Kg	1050
25	appox)	Kg	1050
26	Lightning Rod copper conductor Air Termination Set	No	2650.00
27	29mm dia GI pipe of 1m length	Rm	245.00
28	30cm*30cm Cast iron cover for water pouring into pit	No	600.00
29	charcol	bag	300.00
30	Salt	Kg	12

19.29 Power Cable Copper Conductor Un-Armored Nepal Cable, Prakash, Or NS

1	4mm ² 4 core Nepal ,Prakash Or NS	Rm	245.00
2	6mm ² 4 core Nepal ,Prakash Or NS	Rm	340.00
3	10mm ² 4 core Nepal ,Prakash Or NS	Rm	540.00
4	16mm ² 4 core Nepal ,Prakash Or NS	Rm	820.00
5	25mm ² 4 core Nepal ,Prakash Or NS	Rm	1280.00
6	35mm ² 4 core Nepal ,Prakash Or NS	Rm	1720.00
7	50mm ² 4 core Nepal ,Prakash Or NS	Rm	2400.00
8	95mm ² 4 core Nepal ,Prakash Or NS	Rm	4550.00

transformer (11/0.4KV or 0.4/11 KV 3 phase.50 Hz.) And Accessories

1	100 KVA Oil cooling 3phase Transformer	Set	420000.00
2	150 KVA Oil cooling 3Phase Transformer	Set	550000.00
3	200 KVA Oil cooling 3Phase Transformer	Set	640000.00
4	250 KVA Oil cooling 3Phase Transformer	Set	780000.00
5	300 KVA Transformer	Set	925000.00
6	400 KVA Transformer	Set	1000000.00
7	25 KVA Transformer	Set	225000.00
8	50 KVA Transformer	Set	300000.00
9	Out Door Type Cable Head	Set	24200.00
10	11 KVA Drop out Fuse	Set	18513.00
11	Lighting Arrester	Set	4200.00
12	Earthing Set	Set	4080.00
13	Pin Insulator	Set	180.00
14	35mm ² Cable Socket	Set	202.00
15	Transfermer Tower Set With Clamp Nut	set	15000.00
16	H.T.Tape	Set	867.00
17	3core AL/XL Cable 35 sq.mm	Set	1481.00
18	Chain	Rm	50.00

22.00 ORANT SWITCHES European Technology

1	One gang one way switch.	Set	112.00
2	One gang two way switch.	Set	128.00
3	Two gang one way switch.	Set	169.00
4	Three gang one way switch.	Set	228.00

S.N	Particular	Unit	Rate
2	1.5mm ² PVC insulated copper wire	Rm	17.78
3	2.5mm ² PVC insulated copper wire	Rm	26.11
4	4.0mm ² PVC insulated copper wire	Rm	42.22
5	6.0mm ² PVC insulated copper wire	Rm	66.67
6	10.0mm ² PVC insulated copper wire	Rm	111.11

15.28 Power Cable Copper Conductor Armored Nepal

1	4mm ² 4 core Nepal ,Prakash Or NS	R.m	310.00
2	6mm ² 4 core Nepal ,Prakash Or NS	R.m	400.00
3	10mm ² 4 core Nepal ,Prakash Or NS	R.m	600.00
4	16mm ² 4 core Nepal ,Prakash Or NS	R.m	875.00
5	25mm ² 4 core Nepal ,Prakash Or NS	R.m	1300.00
6	35mm ² 4 core Nepal ,Prakash Or NS	R.m	1750.00
7	50mm ² 4 core Nepal ,Prakash Or NS	R.m	2500.00
8	4mm ² 2 core Nepal ,Prakash Or NS	R.m	185.00
9	6mm ² 2 core Nepal ,Prakash Or NS	R.m	240.00
10	10mm ² 2 core Nepal ,Prakash Or NS	R.m	360.00
11	16mm ² 2 core Nepal ,Prakash Or NS	R.m	480.00

16.25 Cable Shoe

1	16 sq mm Cable Shoe	No	60.00
2	25 sq mm Cable Shoe	No	78.00
3	95 sq mm Cable Shoe	No	135.00
4	150 Sq mm Cable Shoe	No	203.00

17.20 Decorative Wall Brackets

1	Decorative Wall Bracke SL Fancy Type	No	
2	Decorative Wall Bracke Sigle Wallite	No	
3	Decorative Wall Bracke Single Vertile	No	

18.20 FTL Patti Wipro, G.E.etc.

1	1x20 FTL Patti	Set	450.00
2	1x40 FTL Patti	Set	752.00
3	1x20 FTL Mirrolta	Set	850.00
4	1x40 FTL Mirrolta	Set	990.00
5	2*18 watt CFL recessed / surface mounting mirror optic	Set	2600.00
6	1*11 watt CFL mirror optic	Set	1780.00
7	1x40 FTL Box Fitting	Set	1125.00
8	2x40 FTL Box Fitting	Set	1700.00
9	1x40 FTL Industrial Channel With Stove	Set	1730.00
10	Enammelled 2x40 FTL Industrial Channel With Stove	Set	2220.00
11	Enammelled 1x40 FTL Opalite With Opal Acrylic	Set	1800.00
12	Diffuser 2x40 FTL Opalite With Opal Acrylic	Set	3000.00
13	Diffuser 4x18/20 FTL With Dished Opal Acrylic	Set	5252.00
14	Cover 1x40 FTL Mirror Optic Slim Flat light	Set	3450.00
15	2x40 FTL Mirror Optic Slim Flat light	Set	4200.00
16	300/500 Halogen Light Set	Set	1500.00
17	1000 Halogen Light Set	Set	3000.00

Handwritten signatures and notes at the bottom of the page.



Sindhuli Electrical Material District Rate 2076/077

S.N	Particular	Unit	Rate
5	Four gang one way switch.	Set	258.00
6	Six gang one way switch.	Set	388.00
7	13 Amp Round Flat Switch Socket.	Set	350.00
8	Two Switch + Socket.	Set	288.00
9	TV Socket Single.	Set	248.00
10	Telephone Socket Single	Set	378.00
11	RJ 45 Computer socket	Set	540.80
12	20 Amp heavy load switch with indicator	Set	950.00
13	16 Amp big button switch Socket.	Set	688.00
14	Bell push 6 Amp(Net West)	Set	176.00
15	Socket 16 A & 6 A- 6 pin(shutter- Net West)	Set	169.00
16	One gang module plate	Set	304.00
17	Two gang module plate	Set	360.00
18	Three gang module plate	Set	554.00
19	Four gang module plate	Set	694.00
20	Dimmer 300 /500 watt.	Set	1096.00
21	4 Way single phaseDB double door.	Set	1450.00
22	4 Way single phase DB Single door.	Set	810.00
23	12 Way single phase DB Double Door.	Set	2280.00
24	12 Way single phase DB Single Door.	Set	1300.00
25	4 WayThree phaseDB double door.	Set	3200.00
26	4 WayThree phaseDBSingle door.	Set	2220.00
27	6 WayThree phaseDB Double door.	Set	3960.00
28	6 WayThree phaseDB Single door.	Set	2660.00
29	1x40 Box Type Tube Light. Orant	Set	1050.00
30	2x40 Box Type Tube Light. Orant	Set	1650.00
31	1x40 Mirror Optic Tube Light. Orant lighting	Set	3600.00
32	2x40 Mirror Optic Tube Light. Orant lighting	Set	4200.00
33	3x36 CFL concil/surface.Orant Light	Set	6000.00
34	250 Watt MHL set.Orant Light	Set	10500.00
35	3 Watt to 13 Watt PL Orant Tube	Set	250.00
36	60 Amp MCCB Tengen	Set	5400.00
37	100 Amp MCCB Tengen	Set	6800.00
38	200 Amp MCCB Tengen	Set	14500.00
39	300 Amp MCCB Tengen	Set	24500.00
General Lighting Anchor,C/G eqv.			
1	1x40 Watt FTL Patti Fitting	Set	245.00
2	1x20 Watt FTL Patti Fitting	Set	225.00
3	1x40 Watt FTL Box Fitting	Set	415.00
4	1x20 Watt FTL Box Fitting	Set	405.00
5	9/11 Watt mini mirror light with electronic Blast suitable for PL Lamp	Set	345.00
CCTV System			
1	outdoor high speed Dome integrated CAMERA multi protocol,480 TVL, 128 preset points, Automatic surveillance,360		
i	CANON Integrated camera chip,normal colour,23 times optical Zoom, 10 times digital Zoom	Set	55000.00
ii	CANON Integrated camera chip,Day & Night,23 times optical Zoom, 10 times digital Zoom	Set	57200.00
2	Indoor high speed Dome integrated CEMERA		

S.N	Particular	Unit	Rate
18	150 Watt HPSV Lamp	Set	9000.00
19	250 Watt HPSV Lamp	Set	11050.00
21.24 Telephone Drop Wire / Pair Cable			
1	2/20 Tel wire	Coil	960.00
2	2/22 Tel wire	Coil	650.00
3	2Pair Tel (2x2x0.45) mm	Rm	13.00
4	3Pair Tel (3x2x0.45) mm	Rm	19.00
5	5Pair Tel (5x2x0.45) mm	Rm	31.00
6	10Pair Tel (10x2x0.45) mm	Rm	60.00
7	15Pair Tel (15x2x0.45) mm	Rm	88.00
8.12/13 MCB 10KA simens,MarlinGerlin,GE or ISI eqv.			
1	6-32 Amp SP MCB	No	171.20
2	6-32 Amp DP MCB	No	749.00
3	6-32 Amp TP MCB	No	1070.00
4	6-32 Amp TPN MCB	No	1926.00
5	40Amp DP MCB	No	963.00
6	63 Amp DP MCB	No	963.00
7	40Amp TP MCB	No	1471.25
8	50 Amp TP MCB	No	1471.25
9	63 Amp TP MCB	No	1471.25
Distribution Board 3 Phase double door system with			
1	4 wayTPN DB 14"x16"x5"	set	2585.00
2	6 wayTPN DB 16"x18"x5"	set	3465.00
3	8 wayTPN DB 18"x20"x5"	set	4335.00
4	10 wayTPN DB 20"x22"x5"	set	5300.00
5	12 wayTPN DB 22"x24"x5"	set	5775.00
6	14-16 wayTPN DB 24"x26"x5"	set	7500.00
Air conditioning system, Daikin,Toshiba,Fujiistu,Stulz or eqv Japanees co.			
1	0.75 TR capcity wall mounted spilt type Air Conditioning System	Set	-
2	1.00 TR capcity wall mounted spilt type Air Conditioning System	Set	-
3	1.50 TR capcity wall mounted spilt type Air Conditioning System	Set	-
4	2.00 TR capcity wall mounted spilt type Air Conditioning System	Set	-
5	1.00 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
6	1.50 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
7	2.00 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
8	2.50 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
9	4.00 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
Air conditioning system, McQuay,Midea,Fujiiaire,Malaysian			
1	0.75 TR capcity wall mounted spilt type Air Conditioning System	Set	-
2	1.00 TR capcity wall mounted spilt type Air Conditioning System	Set	-
3	1.50 TR capcity wall mounted spilt type Air Conditioning System	Set	-
4	2.00 TR capcity wall mounted spilt type Air Conditioning System	Set	-
5	4.00 TR capcity wall mounted spilt type Air Conditioning System	Set	-
6	1.50 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
7	2.00 TR capcityceilling cassette spilt type Air Conditioning System	Set	-

(Handwritten signatures and stamps)



Sindhuli Electrical Material District Rate 2076/077

S.N	Particular	Unit	Rate
i	CANON Integrated camera chip,normal colour,23 times optical Zoom, 10 times digital Zoom	Set	52800.00
ii	CANON Integrated camera chip,Day & Night,23 times optical Zoom, 10 times digital Zoom	Set	55000.00
3	VISTA BOX CAMERA with adaptor,IR view distance 25mm Mirror shutter,with mirror image switchable,white balance,auto, Horizontal resolution,480 TV line,System signal,NTSC/PAL Blacklight copression : ON/OFF (Switchable) ,AGC, ON/OFF Integrated camera chip,normal colour,23 times	Set	15000.00
4	7" spherical shielded with bracket included chip Excluded Camera	Set	8120.00
5	8 Channel DVR MJPEG compression type 8 channel input 2 channel output USB 2.0 interface, Hard Disc>200 G, Multi Record, Motion Detector Function	Set	33000.00
6	16 Channel alaram input 16 channel record 8 channel alaram output internate explore.MPG-4 Record	Set	49500.00
7	17" LCD monitor Samsung or Koreean EQV suitable box size,ORANGE,CLIPSAL,Legrand or Eqv.	Set	10500.00
1	10A 1 gang 1 way switch.	Set	81.00
2	10A 2 gang1 way switch.	Set	158.00
3	10A 3 gang 1 way switch.	Set	210.00
4	10A4 gang 1 way switch.	Set	340.00
5	10A5 gang 1 way switch.	Set	360.00
6	10A6 gang 1 way switch.	Set	599.00
7	10A 1 gang 2 way switch.	Set	140.00
8	10A 2 gang2 way switch.	Set	270.00
9	10A 3 gang 2 way switch.	Set	395.00
10	10A 4 gang 2 way switch.	Set	595.00
11	TV Socket.	Set	290.00
12	Telephone Socket.	Set	260.00
13	13A Socket.	Set	265.00
14	15A Switched Socket.	Set	430.00
15	5A Socket.	Set	330.00
Philips Lights			
1	1x20 FTL Patti	Set	644.00
2	1x40 FTL Patti	Set	726.00
3	1x20 FTL Mirrolta TMS205/120 LPF	Set	968.00
4	1x40 FTL Mirrolta TMS205/140 LPF	Set	1089.00
5	2*18 watt FTL recessed / surface mounting mirror optic	Set	2838.00
6	1*11 watt CFL mirror optic	Set	2200.00
7	1x40 FTL Box Fitting TMC 501/136 HPF	Set	1364.00
8	2x40 FTL Box Fitting TMC 501/236 HPF	Set	1980.00
9	1x40 FTL Industrial Channel With Stove Enammelled TKC 203/136 HPF	Set	2349.00
10	2x40 FTL Industrial Channel With Stove Enammelled TKC202/236	Set	2970.00
11	1x40 FTL Opalite With Opal Acrylic TCS 19/136 HPF	Set	2189.00
12	2x40 FTL Opalite With Opal Acrylic Diffuser TCS19/236	Set	3355.00
13	HPF	Set	4692.00
14	1x40 FTL Mirror Optic TCS 306/136	Set	3724.00

S.N	Particular	Unit	Rate
8	3.00 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
9	4.00 TR capcityceilling cassette spilt type Air Conditioning System	Set	-
1	3*36 W CFL 4 Pin low glare fixture comp	Set	6625.00
2	250 Amp MCCB 40 KA Siemens/GE	Set	21538.00
3	300 Amp MCCB 40 KA Siemens/GE	Set	28600.00
4	35 Sq.mm Cable Shoe.	Set	60.00
5	50 Sq.mm Cable Shoe.	Set	71.00
6	70 Sq.mm Cable Shoe.	Set	87.00
7	4 Core 70 Sq.mm Copper Un armoured	Rm	3350.00
8	20 Pair Telephone cable(20*2*0.45)mm	Rm	116.00
9	Stay Set.	Set	750.00
10	Stay Wire.	kg	150.00
11	Disc Insulator	Set	960.00
ABC Cable			
	25 Sq mm 4 core aluminium ABC Cable.	Rm	150.00
	50 Sq mm 4 core aluminium ABC Cable.	Rm	250.00
	95 Sq mm 4 core aluminium ABC Cable.	Rm	490.00
Down Light Fiam Make			
278	FDL004SMD7W(120*90) Taiwan chip	set	1260.00
279	FDL004SMD15W(175*90) Taiwan chip	set	2745.00
280	FDL004SMD30W(200mm) Taiwan chip	set	4943.00
281	FDL012COB15W(140mm) Taiwan chip	set	4943.00
282	FDL012COB25W(175mm) Taiwan chip	set	6589.00
283	FDL012COB30W(200mm) Taiwan chip	set	8236.00
284	FDL007SMD24W(195*175) Taiwan chip	set	7412.00
285	FDL005SMD12W(165mm) Taiwan chip	set	1646.0
Materials For Lightning & Lightening Protection (sp.gr.)			
a	Copper plate	के.जी	890
b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1050
c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1050
d	Copper Strip (12 x 3)mm	के.जी	1050
e	Lightning rod copper conductor Air termination set	गोटा	2650
f	8 SWG bare copper wire	र. मी	140
g	29 mm Diameter GI Pipe of 1m length	र. मी	245

Handwritten signatures and notes at the bottom of the page, including the word 'संग' (Sang) and 'Page: 42'.



Sindhuli Electrical Material District Rate 2076/077

S.N	Particular	Unit	Rate
15	2x40 FTL Mirror Optic TCS 306/236 HPF	Set	4483.00
16	3x36 CFL Paralite P 5-FBS 300/336 HPF	Set	9350.00
17	300/500 Halogen Light Set	Set	1958.00
18	1000 Halogen Light Set	Set	3795.00
19	150 Watt HPSV Lamp	Set	9955.00
20	250 Watt HPSV Lamp	Set	13970.00

S.N	Particular	Unit	Rate
h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	600
i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15
j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	190
k	Funnel with wire mesh	गोटा	350
l	Charcoal	ब्याग	300
m	Salt	के.जी	12

Solar component		
1	Solar PV Module	Per watt 119
2	Solar Tubular Battery (Nos 28900
3	Solar Tubular Battery (150	Nos 22100
4	Solar Tubular Battery (100	Nos 15300
5	Tubular Gel @ C10-80AH Batery	Nos 29000
6	Tubular Gel @ C10-100AH Batery	Nos 30000
7	Lithium Ion 60-AH	Nos 40000
8	Lithium Ion 75-AH	Nos 45000
9	Solar Gel Battery (100 Ah@c20,12v)	Nos 30940
10	Solar Gel Battery (75 Ah@c20,12v)	Nos 23630
11	Solar Gel Battery (40 Ah@c20,12v)	Nos 13600
12	Charge controller (60Ah/24V)	Nos 30600
13	Charge controller 45Ah/12-24-48 V	Nos 22525
14	Charge controller 10a/12-24 V	Nos 2550
15	Charge controller 20a/12-24 V	Nos 3825
16	40 watt solar street light	Nos 13600
17	30 watt LED Lamp solar street light Without autodimming	Nos 8000
18	40watt LED Lamp solar street light Without autodimming	Nos 9000
19	20 watt solar street light	Nos 8160
20	12 watt solar street light	Nos 5270
21	Pure sine wave inverter 250 VA /12 V	Nos 6800
22	Pure sine wave inverter 400 VA /12 V	Nos 12750
23	pure sine wave inverter 1400 VA	nos 22100
24	Ms light Arms	Set 2125
25	SPV mounting frame	set 5525
26	Battery box	Set 4250
27	Battery stand	Set 4250
28	Inverter with inbuilt 50A Charge controller	Set 65000
29	Inverter with inbuilt 50A Charge controller	Set 130000
30	12Ampere Charge controler with Dusk to Down Fuction	Set 6000
31	15Ampere Charge controler with Dusk to Down Fuction	Set 7000

गंगा राणा
 गंगा राणा
 गंगा राणा



आ.व. 076/077 सिन्धुली जिल्लाको जिल्ला दररेट 44

Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
1	Skilled Labour Masson	day	990.00
2	Skilled Labour Plumber	day	990.00
3	Un skilled Labour	day	715.00
4	P or S trap.	No	590.00
5	White glazed footrest	No	399.00
6	32 mm pvc bottle trap	No	454.00
7	Waste coupling 32mm	No	393.00
8	1.5cm (1/2") dia.CP Sink cock	No	1483.00
9	10.0 ltr.porcelain clay low level flushing cistern complete accessories	Set	3390.66
10	10.0 ltr.PVC low level flushing cistern complete accessories	Set	1880.00
11	32mmx60mm size flushing CP pipe	No	474.00
12	1.5x45 cm(1/2" x18") PVC pipe connector	No	140.00
13	Bracket	No	135.00
14	580 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent)	No	2456.00
15	580 mm Porcelain clay white glazed indian Pan (Hindustan, Parryware, Classica, cera or equivalent)	No	1049.00
16	530 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica,cera or equivalent)	No	2524.00
17	Porcelain clay white glaze Indian Pattern Comode (Hindustan, Parryware, Classica, cera or equivalent) regular	Set	1587.00
18	Porcelain clay first colour glaze Indian Pattern Comode , cistern, seat cover all complete set (Hindustan, Parryware, Classica, cera or equivalent) Constellation type, cascade	Set	8656.00
19	Porcelain clay white glaze Indian Pattern Comode all complete set(Hindustan, Parryware, Classica, cera or equivalent) Constellation type, cascade type	Set	18119.00
20	6/3 ltr.porcelain clay low level dual flushing cistern complete accessories,Constellation	Set	3185.00
21	Bakelite toilet seat cover premium	Set	270.00
22	Porcelain clay white glaze European Pattern Comode with cistern ,seat cover One piece	Set	28875.00
23	Porcelain clay white glaze European Pattern Comode with cistern ,seat cover Two piece	Set	13437.00
24	55x40cm Porcelain clay Oval white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	Set	1481.00
25	a .55x40cm Porcelain clay Oval white glaze Wash basin with semi pedestal	Set	7178.00
26	75x50cm Porcelain clay Oval white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	Set	6232.00
27			
28	15 mm CP basin mixer jaquar,nova , Ark or equivalent	Set	3891.00
29	Porcelain clay white glaze Semi Pedestal (Hindustan, Parryware, Classica, cera or equiv	Set	1670.00
30	55x40cm Porcelain clay white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	No	1481.00
31	55x40cm Porcelain clay first color glazed Wash basin (Hindustan, Parryware, Classica, cera or equivalent) constallation type with pedestal.	No	3990.00
32	Porcelain clay white glaze Pedestal for wash basin (Hindustan, Parryware, Classica, cera or equivalent)		1378.00
33	40x40cm Porcelain clay white glaze Corner Wash basin (Hindustan, Parryware, Classica, cera or equivalent)	No	1201.00
34	45x30x15 Cm (18"x12"x6") White glaze sink with C I bracket (Hindustan, Parryware, Classica, cera or equivalent)	Set	1575.00
35	53x43x18 (21"x17"x7") White glaze sink with C I bracket (Hindustan, Parryware, Classica, cera or equivalent)	Set	2317.00

संगीत



आ.व. 076/077 सिन्धुली जिल्लाको जिल्ला दररेट 45

Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
36	60x45x25Cm (24"x18"x10") White glaze sink with bracket (Hindustan, Parryware, Classica, cera or equivalent)	Set	3585.00
37	Small Flat back White glazed urinal with bracket, Constellation type, cascade type.		1791.00
38	Small Flat back First color glazed urinal with bracket, Constellation type, cascade type.		8640.00
39	46.5x35.5x26.5 cm White glaze flat back Urinal (Hindustan, Parryware, Classica,cera or equivalent)	Set	1880.00
40	61x41x38 cm Large Flat back White glazed urinal with bracket (Hindustan, Parryware, Classica, cera or equivalent.)	Set	4174.00
41	1½" Ø C.P. bottle trap including 1½" Ø PVC. waste coupling.	No	1717.00
42	17"X14"X13 White glaze Angle back Urinal (Hindustan)	No	1619.00
43	23"X14" White glaze squatting plate urinal (Hindustan or equivalent)	No	1212.00
44	68X30 cm White glaze Division plate urinal Partation (Hindustan or equivalent)	No	1690.00
45	300 ltr with 3 panel solar water heater	Set	49376.00
46	1000ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc.17 GUAGE	No	17655.00
47	1500ltrs net capacity stainless steel tank with Inlet, outlet, over flow, cleanout hole etc.17 GUAGE	No	25088.00
48	2000 ltrs net capacity stainless steel tank with Inlet, outlet, over flow, cleanout hole etc. 17 GUAGE	No	34510.00
49	5000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	55000.00
50	1000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	11000.00
51	500 ltr PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	5500.00
52	2000 Ltr.PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	22000.00
53	1 HP Chinese pump	No	3270.00
54	1 HP Chinese submersible pump	No	9240.00
55	1.0 H P Electric motor pump (Submersible) Italian or equivalent	No	26089.00
56	0.5 H P Electric motor pump with base plate nuts, bolts etc.set crompton	No	6258.00
57	1.0 H P Electric motor pump with base plate nuts,bolts,etc.set	No	9465.00
58	1 H P Electric motor pump with base plate nuts, bolts etc.set multi crompton	No	14258.00
59	2 H P Electricmotor pump with base plate nuts, bolts etc.set crompton	No	22587.00
60	3 H P Electricmotor pump with base plate nuts, bolts etc.set crompton	No	23153.00
61	5 H P Electricmotor pump with base plate nuts, bolts etc.set crompton	No	28656.00
62	White glaze toilet paper holder (Recessed type)-Cotto	No	1103.00
63	White glaze toilet paper holder	No	1157.00
64	Chrome plate toilet paper holder	No	473.00
65	Stainless steel liquid soap container (cotto)	No	5948.00
66	White glaze soap tray	No	661.00
67	Stainless steel towel rod 1.5x45cm (½"x 18.")	No	1216.00
68	C.P Soap dish	No	473.00
69	C P Towel rod	No	525.00
70	C P Towel rod	No	510.00
71	C P Guard rail with glass	No	630.00
72	Porceline clay shelf rack type	No	3653.00
73	Bevelled edge looking mirror	No	600.00
74	Looking Mirror Modi guard 450x600mm (18"x 24")	No	1391.00

(Handwritten signatures and notes)
गंगा



सिन्धुली.व. 076/077 सिन्धुली जिल्लाको जिल्ला दररेट 46

Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
75	73 mm Ms Seamless Pipes SCH 40	No	1895.00
76	101.6 mm Ms Seamless Pipes SCH 40	No	3205.00
77	7.5cm dia shower rose fancy type with 30cm c p rod	No	840.00
78	Stainless Steel Shower rose with sliding bar complete set.	No	2920.00
79	Telephonic Shower rose ordinary type (5.0 to 10.00 cm)	No	1216.00
80	C.P Flush valve Eurpean pattern	No	5009.00
81	15mm fancy type bib cock heavy type	No	952.00
82	15mm dia Stainless steel bib cock	No	4216.00
83	15mm fancy type angle valve	No	1153.00
84	15mm Auto closing bib cock with aerator	No	2420.00
85	15mm Urinal Auto closing Valve with built in control cock	No	2497.00
86	Water spray (Health faucet) with 1.2 m. long flexible pipe.	Set	1092.00
87	sensor valve for urinal	No	10147.00
88	15mm Stainles steel angle valve	No	788.00
89	15mm two way angle valve, jaquar, essco, or equivalent	No	1103.00
90	CP Piller Cock good	No	1234.00
91	15 mm dia stainless steel Piller Cock	No	4216.00
92	15mm CP concealed stop cock	No	1675.00
93	15mm gate valve	No	801.71
94	20 mm gate valve	No	998.41
95	25mm gate valve	No	1607.54
96	32 mm gate valve	No	2293.54
97	40mm gate valve	No	2888.62
98	50 mm gate valve	No	4599.47
99	65 mm gate valve	No	9508.88
100	80 mm gate valve	No	11823.08
101	100 mm gate valve	No	19364.90
102	15 mm G M check valve	No	743.85
103	20 mm G M check valve	No	1000.07
104	25 mm G M check valve	No	1479.44
105	32 mm G M check valve	No	2186.09
106	50 mm G M check valve	No	4194.49
107	65 mm G M check valve	No	8521.22
108	80 mm G M check valve	No	11380.91
109	100mm GM CHECK VALVE with flange	No	16083.69
110	Floor Trap 11x7.5cm (4" X 2½")	No	280.00
111	C P GRATTING 100 mm DIA SIZE STEEL DOME	No	46.00
112	C P GRATTING 12.5cm (5") DIA SIZE	No	58.00
113	Aluminium Grating 100 mm	No	40.00
114	160 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	1350.00
115	110 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	473.00

(Signature)

संज्ञा

(Signature)

(Signature)



आ.व. 076/077 सिन्धुली जिल्लाको जिल्ला दररेट 47

Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
116	75 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	262.00
117	Stainless steel wall mixture complete set.	set	4104.00
118	15 mm G. I. Pipe 'B' class	Rm	101.67
119	20 mm G. I. Pipe 'B' class	Rm	138.33
120	25 mm G. I. Pipe 'B' class	Rm	195.00
121	32 mm G. I. Pipe 'B' class	Rm	250.00
122	40 mm G. I. Pipe 'B' class	Rm	310.00
123	50 mm G. I. Pipe 'B' class	Rm	475.00
124	80 mm G. I. Pipe 'B' class	Rm	635.00
125	Stainless steel Basin mixture complete set.	set	6813.00
126	9 cm Concealled flushing cistern complete accessories (Geberit or eqv.)	set	7431
127	Dual flush Actuator plate	set	3646.00
128	Inspection Chamber body 45x45cm	nos	3000.00
129	Inspection Chamber Riser	nos	1490.00
130	Inspection Chamber Lid with cover	nos	2829.00
131	Inspection Chamber body 60x60cm	nos	8284.00
132	Inspection Chamber Riser	nos	2634.00
133	Inspection Chamber Lid with cover	nos	4395.00
134	50 mm dia. Pvc pipe 6 Kg/cm ²	Rm	99.12
135	75 mm dia. Pvc pipe 6 Kg/cm ²	Rm	221.77
136	110 m m dia. Pvc pipe 6 Kg/cm ²	Rm	462.12
137	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	Set	11550.00
138	25.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete.	Set	16511.00
139	35.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete.	Set	20528.00
140	50.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete.	Set	24544.00
141	Bath tub 5"-6"x2"-6" with complete fittings.	No	9100.00
142	Bath tub spout(Hot and cold) with Telephonic shower.	No	4605.00
143	Acrylic Type shower tray70x70cm (29"x29") with complete fittings.	No	
144	15 mm cp bath spout	No	1873.00
145	Sensor mixer for basin (Battery operating)	No	19513.00
146	Sink mixture complete set.	No	4144.00
147	CI Cover 45x45cm (18" X 18") 14 kg	No	2391.00
148	CI Cover 22" X 22" (20 kg)	No	3188.00
149	Fire Post complete set	Set	27214.00
150	Fire pump 20 HP two pump set with panel board and accessories pedrollo, Italian,	Set	550000.00
151	Swinging hose reel with 20 mm hydraulic rubber braided hose 30 mt. Long, swinging up to 170° nozzle	Set	19700.00
152	Euro Guard Water purification set (one litre per minute)	Set	16263.00
153	Stainless steel, 90x45 size Bowl with drain board. Ordinary type	Set	2205.00
154	Stainless steel, 62" x 20" size Bowl with drain board.Ordinary type	Set	5513.00
155	High density polethene pipe 50mm.	Rm	94.50

(Handwritten signatures and notes)
गंगा



Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
156	High density poethylene pipe 110mm.	Rm	425.75
157	High density poethylene pipe 125 mm.	Rm	572.25
158	High density poethylene pipe 140mm.dia.	Rm	725.25
159	High density poethylene pipe 160mm. Dia	Rm	943.25
160	High density poethylene pipe 180mm.	Rm	1190.50
161	High density poethylene pipe 200mm.	Rm	1472.50
162	G.M. 25mm float valve	No	1297.00
163	Grab bar American standard	set	4560.00
164	Hand drayer germany with complete accessories	Rm	18480.00
165	15 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	85.00
166	25 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	126.00
167	32 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	158.00
168	15 mm (1/2") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	114.94
169	20 mm (3/4") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	160.15
170	25 mm (1") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	209.96
171	32 mm (1 1/4") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	261.29
172	40 mm (1 1/2") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	365.51
173	50 mm (2") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	558.60
174	5 kg Fire extingusher ABC type minimax	No	7130.00
175	116 kg CI heavy Manhole cover.	Set	14437.50
176	15 mm CPVC ball valve, CTS sockets,	No	365.42
177	20 mm CPVC ball valve, CTS sockets,	No	485.98
178	25 mm CPVC ball valve, CTS sockets,	No	587.69
179	32 mm CPVC ball valve, CTS sockets,	No	1371.28
180	40 mm CPVC ball valve, CTS sockets,	No	1642.52
181	50 mm CPVC ball valve, CTS sockets,	No	2117.20
182	16 mm multi-layer composite pap pipe,	rm	100.98
183	20 mm multi-layer composite pap pipe,	rm	110.88
184	25 mm multi-layer composite pap pipe,	rm	118.80
185	32 mm multi-layer composite pap pipe,	rm	180.18
186	40 mm multi-layer composite pap pipe,	rm	281.16
187	50 mm multi-layer composite pap pipe,	rm	445.50
188	20 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	61.79
189	25mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	94.26
190	32 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	150.82
191	40 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	237.74
192	50 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	368.66
193	150 mm NP-2 RCC hump pipe	rm	480.00
194	200 mm NP-2 RCC hump pipe	rm	624.00
195	300 mm NP-2 RCC hump pipe	rm	1059.00
196	400 mm NP-2 RCC hump pipe	rm	1472.00
197	600 mm NP-2 RCC hump pipe	rm	2308.00



Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
198	150 mm NP-3 RCC hump pipe	rm	1071.00
199	200 mm NP-3 RCC hump pipe	rm	1427.00
200	300 mm NP-3 RCC hump pipe	rm	2767.00
201	400 mm NP-3 RCC hump pipe	rm	3536.00
202	600 mm NP-3 RCC hump pipe	rm	5468.00
203	150 mm NP-2 RCC hump pipe collar	No	129.00
204	200 mm NP-2 RCC hump pipe collar	No	170.00
205	300 mm NP-2 RCC hump pipe collar	No	286.00
206	400 mm NP-2 RCC hump pipe collar	No	398.00
207	600 mm NP-2 RCC hump pipe collar	No	623.00
208	150 mm NP-3 RCC hump pipe collar	No	289.00
209	200 mm NP-3 RCC hump pipe collar	No	385.00
210	300 mm NP-3 RCC hump pipe collar	No	691.00
211	400 mm NP-3 RCC hump pipe collar	No	883.00
212	50 mm Plain Tee	No	68.00
213	50 mm Bend 90 degree	No	46.00
214	50 mm Bend 45 degree	No	45.00
215	75 mm Vent cowl	No	53.00
216	75 mm Plain tee	No	147.00
217	75 mm Plain door tee	No	198.00
218	75 mm Bend 90 degree	No	108.00
219	75 mm Door bend	No	139.00
220	75 mm Bend 45 degree	No	88.00
221	75 mm Y- Branch	No	168.00
222	75 mm Cross tee	No	322.00
223	75 mm Pipe clip	No	28.00
224	110 mm Vent cowl	No	87.00
225	110 mm Plain tee	No	279.00
226	110 mm Door tee	No	364.00
227	110 mm Bend 90 degree	No	200.00
228	110 mm Door bend	No	242.00
229	110 mm Bend 45 degree	No	158.00
230	110 mm Y- Branch	No	363.00
231	110 mm Cross tee	No	510.00
232	110 mm Pipe clip	No	37.00
233	110 mm Gully trap	No	255.00
DWV fittings Leakproof, Moulded Specials			
234	160 mm Bend 90 degree	No	988.00
235	160 mm x110 Reducer	No	449.00
236	160 mm Door tee	No	2016.00
237	160 mm 45 degree Bends	No	864.00
238	160 mm Plain tee	No	1157.00

संज्ञा

आ.व. 076/077

49



Material Rate of Sanitary Works in Sindhuli

S.N	Description of Material	Per Unit	076/77
239	160 mm Y- Branch	No	2118.00
240	160 mm Door bend	No	864.00
241	75 mm Bend 90 degree	No	177.00
242	75 mm Vent cowl	No	230.00
243	75 mm Door tee	No	349.00
244	75 mm 45 degree Bends	No	140.00
245	75 mm Plain tee	No	22.00
246	75 mm T- Branch	No	288.00
247	75 mm Door bend	No	81.00
248	110 mm Bend 90 degree	No	323.00
249	110 mm Vent cowl	No	161.00
250	110 mm Door tee	No	453.00
251	110 mm 45 degree Bends	No	282.00
252	110 mm Plain tee	No	437.00
253	110 mm Y- Branch	No	475.00
254	110 mm Door bend	No	103.00
255	4' Ø R.C.C. Ring	Rm	7109.00
256	3' 6"Ø R.C.C. Ring	Rm	5763.00
257	3' Ø R.C.C. Ring	Rm	4951.00
258	2' 6"Ø R.C.C. Ring	Rm	3901.00
259	Seat Cover	No	263.00

Special Sanitary Fittings

1	IPWC Comode with low level cistern set (Constellation type)	Set	2000.00
2	Wash Basin Pedastal White Glazed	No	900.00
3	Wash Basin Pedastal White Glazed Color	No	1000.00

पुनश्च :

- माथि उल्लेखित दररेटहरूमा भ्याट (मू.अ.क.) समावेश गरिएको छैन ।
- यसमा उल्लेख नभएका निर्माण सामग्रीहरूको दररेटको हकमा नियमानुसार प्रचलित बजार भाउलाई वा फेक्ट्री रेटलाई आधार मानी कम्तीमा तीन वटा दरभाउ लिइ सबैभन्दा कम लाई कायम गर्न सकिनेछ ।
- उपरोक्त निर्माण सामग्रीको दररेट सदरमुकाम सिन्धुलीलाई आधार मानी तय गरिएको छ । साथै सिन्धुली सदरमुकाम भन्दा कटारी बजार वा महेन्द्र राजमार्गबाट नजिक पर्ने योजना स्थल सम्म सामग्री ढुवानी गर्दा कटारी बजार वा महेन्द्र राजमार्गबाट ढुवानी देखाई दर विश्लेषण गर्नु पर्नेछ ।

(Handwritten signatures and dates)

2065/3/30

डा.गा



आ.व. ०७६/०७७ सिन्धुली जिल्लाको जिल्ला दररेट ५१

सिन्धुली जिल्लाको आ.व. ०७६/०७७को जिल्ला दररेट

कृषि संग सम्बन्धित

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	ईकाई	मू.अ.कर (VAT) बाहेक रु.	कैफियत
			आ.व. २०७६/७७	
१	टनेल निर्माणको लागि प्लाष्टिक			
१.१	९० GSM	के.जी.	६००१००	
१.२	७० GSM	के.जी.	५००१००	
१.३	४५ GSM	के.जी.	२५०१००	
२	ईन्सेक्ट नेट			
२.१	६० GSM	के.जी.	१६००१००	
२.२	४० GSM	के.जी.	१२००१००	
३	मल्चिङ्ग प्लाष्टिक ३० माईक्रोन	के.जी.	६००१००	
४	थोपा सिंचाई पाईप	के.जी.	११००१००	
५	नर्सरीको लागि हरियो जाली	के.जी.	७००१००	
६	प्लाष्टिक पोखरी			
६.१	२०० GSM	के.जी.	११००१००	
६.२	१५० GSM	के.जी.	८५०१००	
७	कोकोपिट नरिवलको जट्टा	के.जी.	१२०१००	

Handwritten signature

Handwritten signature

Handwritten signature and date २०७६/३/३०

जागा